

AD-A146 165

FORMAT GUIDE FOR SCIENTIFIC AND TECHNICAL REPORTS(U)
NAVAL RESEARCH LAB WASHINGTON DC 1984


1/2

UNCLASSIFIED

F/G 5/2

NL

A 10x10 grid of squares. The top-left square is white and contains a small black square in its top-left corner and a ruler in its top-right corner. The ruler is marked from 0 to 10. The rest of the grid is black.



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A146 165

Two developments have been made which greatly enhance our quantitative treatment of waves and

and define an $\langle \frac{\partial \epsilon}{\partial t} \rangle$ fluctuations $\langle \frac{\partial \epsilon}{\partial t} \rangle$

quantities with changes in depth. For typical values of these coefficients they have $\mu = 2.5$.

Since this value should be a representation of $\mu = 11.6$ for of Cobb's

where $[D_2 \epsilon] \equiv D_2 \epsilon_{12} - [D_2 \epsilon_{12}]$

The potential sound speed c rather than the measured internal wave c .

scale, c is

entire

FORMAT GUIDE


for SCIENTIFIC and TECHNICAL REPORTS

Published by the NAVAL RESEARCH LABORATORY
Washington, D.C.



CONTROL OF SHIPBOARD DAMAGE

PROTECTION AGAINST NUCLEAR-BIOLOGICAL-CHEMICAL DAMAGE



MAY
NAVAL CHIEF OF NAVAL
NAVA

Pass Signal Sampling and Coherent Detection

W. M. WATERS AND B. R. JARRETT
Search Radar Room
Radar Division

DTIC ELECTRONIC VIBRATION
SEP 28 1984

This document has been approved for public release and sale; its distribution is unlimited.



NAVAL RESEARCH LABORATORY
Washington, D.C.



OFFICE OF THE UNDER SECRETARY OF DEFENSE FOR RESEARCH AND DEVELOPMENT



TID DIRECTORY

CODE	UNIT	SECTION OR GROUP	BLDG/RM	EXT
2602	Administrative Office	Main Office	222/148A	73370
		TID Service Desk	222/146	73500
2604	Historian	N/A	43/325	73419
2605	Systems Analyst	Computer Systems Support	222/237	73445
2610	Information Services	Exhibits	222/234A	72541
		Public Affairs	222/234A	72541
		Labstracks	222/234A	72702
2620	Technical Library	Library Services	43/300	72269
		Bibliographies	43/323	73419
		Documents	43/14	73367
		Circulation	43/300	72134
				73369
		Distribution	43/14	72949
2630	Publications	Reference	43/300	72354
		Branch Office	222/253	72379
		Publications Control Center	222/253	73508
		Editorial	222/253	72782
		Graphic Services	222/234	72756
				73989
		Computerized Technical Composition	222/237	72850
		Printing and Reproduction	222/276	72386
2650	Photographic/ Illustration	Branch Office	222/241	76171
		Photographic Services	222/257	73608
		Illustration Services	222/242	73536
		Video Services	222/159	73984
		Photographic Supply	222/241B	72981

REVIEWED AND APPROVED
FEBRUARY 1984



E. E. KIRKBRIDE
Head, Technical Information Division

FOREWORD

This *Format Guide* has been prepared for use by Naval Research Laboratory personnel engaged in the writing and publishing of reports. For most people involved in demanding projects, publishing can be a trying experience. The problem of finding the time to get words on paper and then coordinating the production process can be overwhelming. However, for many projects, the publications that evolve are the only tangible products of the extensive research conducted here at the Laboratory. Thus, the documentation should be carefully thought out and adequately prepared.

As indicated by the title, this publication is a format guide for NRL Reports and Memorandum Reports. The standard elements contained in most of these publications are explained, their order is established, and samples are shown.

The *Format Guide* has been reviewed for content by the following offices: Publications Branch, Technical Library, Information Services Branch, Security Branch, Records and Correspondence Management Branch, and Patent Counsel.

We anticipate that further refinements and improvements will be made as the need arises. Reader feedback is encouraged and welcomed by the Editorial Section, Code 2631 (x73374 or x72782).

A blank page labeled "Notes" is placed at the end of each section. You may use this space to jot down additional information as it becomes available.

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
<i>Info on file</i>	
Pr	
Distribution/	
Availability Codes	
Avail and/or	
Dist	Special
A1	



DTIC
ELECTE
SEP 28 1984
A

from 1-1

CONTENTS

Section 1. General Information	1-1
Section 2. Front Elements	2-1
Section 3. Body of Report	3-1
Section 4. Back Elements	4-1
Section 5. Technical Specifications	5-1
Section 6. Copyrights and Trademarks	6-1
Section 7. Mathematical Expressions	7-1
Section 8. Classification Markings	8-1
Section 9. Samples	9-1
Section 10. Review and Release	10-1
Section 11. Bibliography	11-1
Section 12. Word Lists	12-1
Section 13. Standard Abbreviations <i>and</i>	13-1
Section 14. Units of Measure	14-1
Index	I-1

SECTION 1

GENERAL INFORMATION

USE OF THE GUIDE

This *Guide* is intended to aid authors and typists in preparing NRL technical reports. Publications are a vital part of the research effort of the Naval Research Laboratory. It is chiefly through these publications that the Laboratory's work is documented and disseminated to the scientific and technical community. Use of the *Guide* will ensure that the Laboratory's technical reporting efforts are accomplished as effectively and efficiently as possible.

SCOPE

While this *Guide* applies to all NRL Reports and Memorandum Reports, it is also useful for general guidance in the preparation of reports to sponsors, instruction books, annual reviews, administrative publications, and working papers.

The *Guide* has been designed to be as comprehensive and yet as concise as possible. It is not intended to replace the rules of common sense and appropriateness in situations that have not been anticipated. It should answer most questions managers, authors, typists, and editors have about publication requirements. It establishes specific format policy for NRL Reports and Memorandum Reports. In addition, it clarifies many of the publications processes and sets forth current elements of style and format. Those who cannot find the answers they need in the *Guide* are encouraged to contact the Editorial Section, Code 2631 (x73374 or x72782).

BASIC REGULATIONS

Policy

DoD Directive 3200.12, DoD Scientific and Technical Information Program (STIP), directs that:

1. *The Department of Defense shall pursue a coordinated, comprehensive STIP to ensure that scientific and technical information (STI) provides maximum contribution to the advancement of science and technology; permits timely, effective, and efficient conduct and management of DoD research, engineering (RE), and studies programs; and eliminates unnecessary duplication of effort and resources by encouraging and expediting the interchange and use of STI. The STIP shall provide for interchange of STI within and among DoD Components and their contractors, federal agencies and their contractors, and the national and international scientific and technical community.*

2. *The STIP is a basic and integral part of the Office of the Under Secretary of Defense for Research and Engineering (OUSDR&E) function and is affected by the DoD studies program. As such, it is incumbent upon the managers and performers of R&E to use and support the STI services and functions that comprise this program. STI processes are used to facilitate the communication and enrich the development and use of technical information during the planning and conduct of RE and studies efforts. Conversely, the performance of these program efforts is not considered complete until the STI, including related program management information required under this program, has been documented satisfactorily and provided to the appropriate STI distribution activities.*

3. The Defense Technical Information Center (DTIC) is designated to provide a source of STIP services to assist in carrying out STIP policy and administration; to perform technical information support services for the OUSDR&E and OSD Principal Staff Assistants; to operate DoD-wide STI systems; to explore and demonstrate new supporting technology.

The Secretary of the Navy has assigned, by SECNAVINST 5600.15, the primary responsibility for the issuance of publications and printing to the sponsoring component or activity.

Publishing Authority

Essential phases of any information program are the generation, production, and distribution of a variety of publications. This is especially true of a research organization such as this Laboratory. While the authority to publish comes to NRL from the Secretary of the Navy, other Government activities are also concerned that the Laboratory adhere to this program, not only with propriety, but also with maximum economy. These other Government activities include the Congressional Joint Committee on Printing (JCP) and the Navy Publications and Printing Service (NPPS).

JCP Regulations

Basic regulations are set forth in the *Government Printing and Binding Regulations* published by the JCP. DOD has also promulgated a number of directives bearing specifically upon the handling of information within DOD. See Section 11, Bibliography, for currently applicable directives.

TID PUBLICATION SERVICES

The Technical Information Division (TID) is a support organization charged with helping you with your information needs. The following paragraphs briefly discuss TID's publishing services. Other TID services are discussed in *A User's Guide to the Technical Information Division* which is available at the TID Service Desk.

TID Organization

TID employs approximately 130 people and is organized into four major branches with group and staff support as shown in the organization chart in Fig. 1. This organization provides a wide range of services in response to the needs of the research and support personnel at the Laboratory and the Office of Naval Research. The TID Directory, which contains a listing of organizational elements, locations, and phone numbers, is located on the inside front cover.

Publications Branch Organization

The Publications Branch (Code 2630) is organized as shown in Fig. 2. The services offered by each of these sections is described in the following paragraphs.

The Publications Control Center

The Publications Control Center (Code 2630.1) is responsible for assisting the Publications Branch Head in the management of the printing and publications program for ONR and NRL. The Center receives, controls, and coordinates all requests for the printing and distribution of publications; administers laws and policies concerning control of printing; provides advice, technical assistance, and time and cost estimates for reproduction and printing tasks; and assists in obtaining permission to use copyrighted materials. The Publications Control Center also controls the internal and external distribution of all ONR- and NRL-sponsored publications, prepares mailing labels, and processes the printed documents for distribution.




Fig. 1 — TID organization




Fig. 2 — Publications Branch organization

Editorial Section

Helping you document your research is one of TID's specialties. The Editorial Section (Code 2631) provides a variety of services to assist you with your written communication efforts. The technical editors have in-depth editing experience in virtually every field of scientific research conducted at the Laboratory. Editorial assistance is available at any stage of manuscript preparation; however, early participation is recommended.

Brochures, handbooks, manuals, proceedings, and monographs are other formats for disseminating information. Editorial section personnel can assist you in the most effective and economical preparation of these materials also.

Prepublication planning is strongly urged. The effort invested early in a project to establish publication requirements, schedules, and costs greatly improves the efficient production of the manuscript. The editorial staff is available for advice on all phases of the process.

Many authors write well and do not need extensive editorial assistance. On the other hand, many manuscripts are significantly enhanced by a technical review performed by an experienced technical editor. The editor not only reviews the manuscript for grammar and format, but assists in ensuring that the report is clear and well organized and that the conclusions are supported by the discussion.

Graphic Services

The Graphic Services Section (Code 2632) provides a variety of layout and design services. Camera-ready artwork is prepared here by experienced illustrators and visual information specialists. Bulletins, certificates, plaques, and copy for in-house or contract composition and printing are also prepared by this section. If you have questions concerning any of these services, call or visit the Graphic Services Section.

Computer-generated graphics are prepared with the DICOMED system as part of the Photographic/Illustration Branch, Code 2650. For further information, call or visit DICOMED, Bldg 222, Room 239, x76159.

Computerized Technical Composition

The Computerized Technical Composition (CTC) Section (Code 2634) provides sophisticated, computerized composition services. The CTC staff prepares finished copy from material (including handwritten copy) which may contain elaborate formulas or equations.

If you have text that has already been typed, there are options available to get your text typeset without having it rekeyboarded. Automated transmission of data or text from one computer to another (either by telephone line or magnetic tape) is the most economical and time-effective method for those who have telecommunication packages on their word processors. (Note, however, that automated transmission by telephone line is available for unclassified work only.)

For further information regarding any of these services, call or visit the Computerized Technical Composition Section.

Printing and Reproduction Services

In addition to the services provided by the Publications Branch, printing and reproduction services that are not directly related to NRL publications (formal and memorandum reports and instruction books) are provided by the Navy Publications and Printing Service Branch Office (NPPSBO/NRL). The Service Desk for this organization is located in Bldg 222, room 269A, x72386.

Two methods of reproduction are available: photo-offset and a Xerox 9400 duplicator which reproduces line or text copy (but not photographs) on both sides of the paper in one operation. The Xerox 9400 provides quick and economical reproduction for 15 to 200 copies involving 10 to 200 originals.

NRL PUBLICATIONS

NRL Reports

NRL Reports, sometimes called Formal Reports, are the most formal and carefully prepared of the Laboratory's scientific documents. They are used to report substantial and significant NRL research that has been completed or has reached a conclusive point. In quality they are comparable to articles in refereed journals, and are edited as are refereed journals, but are not restricted by the space and graphic limitations of a journal. NRL Reports can be amplifications of journal articles or can be books running into hundreds of pages. They can have complex typography, elaborate graphic elements, extensive computer printouts, and other unusual materials that explain the project. With few exceptions, NRL Reports should be of interest to a wide audience.

NRL Memorandum Reports

NRL Memorandum Reports, sometimes called Informal Reports, are used to document NRL research that is less complete, less definitive, or of more limited interest to potential readers than the work covered in NRL Reports. Reports that formerly were termed Test and Evaluation Reports are now published as NRL Memorandum Reports.

These reports have a more limited audience and a shorter period of interest than NRL Reports. They may be submitted for technical editing, but the originating research unit usually does most of the preparation, including final typing for reproduction. If desired, authors may bring their manuscripts to TID and have the Computerized Technical Composition (CTC) Section typeset the material into computer memory for later revising, correcting, and printing.

NRL Instruction Books

Manuals of technical procedures relating to NRL-developed equipment are published as NRL Instruction Books. These manuals have their own unique numbering system, are generally prepared for direct reproduction by TID, and are spiral-bound for convenient use in the laboratory or field site.

PUBLICATION RESPONSIBILITY

The Technical Information Division is solely responsible for all publications at NRL. However, the Underwater Sound Reference Detachment (USRD) in Orlando, Florida has been granted specific permission to compose, print, assemble, and distribute NRL Memorandum Reports prepared by their scientists after obtaining approval from NRL Patent Counsel and Classified Material Control.

NOTES

SECTION 2

FRONT ELEMENTS

GENERAL

This section discusses the preparation and content of the front matter of NRL Reports, Memorandum Reports, and other technical and administrative publications. Items are generally discussed in the order of their appearance in the normal publication rather than in the order of their relative importance.

The discussion in this section pertains both to matters that are set by official Navy regulation and to those established at NRL as a matter of format. While not all of the items discussed may appear in any one individual NRL publication, there are certain items that are covered by official regulation that must be included in every publication.

Because of special requirements, some publications may vary in the individual areas discussed in the following sections. These special requirements should be discussed with the Publications Branch before publication processing begins in order to expedite the production of the publication as effectively and efficiently as possible.

FRONT AND BACK COVERS

Although back covers are not front matter, they are discussed herein (following the front cover discussions) for convenience only. Samples are shown in Section 9, Samples.

Front Cover

The front covers of NRL Reports and Memorandum Reports contain the following elements (listed in order of appearance):

- Overall classification (classified publications only)
- Report number
- Copy number (for publications classified secret or higher)
- Title
- Author(s)
- Releasing group, branch, or division
- Date
- Activity seal
- Publisher
- Place of publication
- Downgrading and declassifying statement (classified publications only)
- Distribution statement
- Overall classification (classified publications only)

NRL reports have covers of standard cover stock and are 8-1/2 by 11 inches in size. Covers are blue for NRL Reports, green for NRL Memorandum Reports, and gray for NRL Instruction Books.

Security Classification

A classified publication must carry the overall classification of the publication at the top and bottom of the front cover. An unclassified publication carries no classification markings on the cover. The final or camera copy for the cover is prepared by TID, and the classification markings are added during composition. All classified NRL Reports and NRL Memorandum Reports have diagonal black markings on the left side of the front cover.

Report Number

NRL Reports and NRL Memorandum Reports are identified in the upper right-hand corner by their own unique number. These numbers are assigned by the TID Service Desk when the report comes in for processing. There is a separate numbering system for NRL Reports, NRL Memorandum Reports, and NRL Instruction Books. Advance or preassigned numbers can be obtained if authors have a valid reason for requesting them.

Copy Number

All copies of classified publications, secret and above, are serially numbered. The copy number, which appears in the upper right-hand corner of the cover below the report number, is added during printing. Copies of unclassified and confidential publications are not numbered.

Title

General Style — The basic function of the title is to inform the reader of the report's subject field and what distinguishes this report from other reports on the same general topic. The title should contain the fewest possible words that adequately describe the contents of the report. Do not begin the title with *On the*. Abbreviations are not generally used. The use of acronyms in the title of an NRL Report is discouraged because of the more general readership interest in these reports. Their use in the titles of NRL Memorandum Reports is acceptable because of the specialized readership interest of this type of report.

Multiple Parts — Titles must be carefully planned if a publication is to be issued in two or more parts or volumes or if publications are to be released in a series. Care must be taken to observe exact wording of titles of publications when subsequent supplements or revisions are published.

A publication issued in parts or volumes carries the identical general title on all parts, and each part carries an identifying part number plus a distinctive subtitle. A supplement or a revision is issued *after* the original publication. The general title on each remains the same; the supplement carries a subtitle although one is not necessary on a revision. The general title on publications issued in a series remains the same, although the identifying subtitle changes for each issue in the series.

Format — The title, set in the initial capital style, is centered horizontally on the page. The title of a classified publication should be unclassified. It must be followed by the symbol of its classification—(S), (C), or (U). The classification designation is not required on an unclassified report.

The title is set by TID when the report is transmitted to TID for printing. A title of two or more lines is set as an inverted pyramid. A subtitle is set below the main title in initial capital letters smaller than those used for the main title.

If possible, the title should be kept unclassified. If a classified title must be used, it does not appear on the front cover, but rather on the DD Form 1473, with the initial of its classification following it in parentheses—(C) or (S).

Series Designator

If the publication is issued in two or more parts, it should contain a series designation on all of the parts (supplements, revisions, volumes) whether the separate parts are issued at one time or at different times. This series designator is located just below the title.

Author

The name of the author (or authors) appears on the front cover of NRL Reports and Memorandum Reports. However, the author's name does not appear on brochures, facilities reports, or technical progress reports. The author's name may appear on a formal administrative publication. On books, the author's name usually appears on the title page instead of the cover.

The author's name is centered below the title. If there are two authors, their names are typed on the same line with the word *and* between them. Names of more than two authors are typed three names to a line, using the word *and* between the last two authors. Normally the lead author is listed first followed by other authors in descending order of contributions made to the report. An alternative method is to list the authors alphabetically. If the report has been written by an author who is not an NRL employee, his or her organizational affiliation is listed, with the NRL division for which the work was done shown underneath. In a multi-author report, the non-NRL author(s) (if applicable) and affiliation is generally listed below the NRL authors and their affiliation. Normal style calls for first two initials and last name. Other styles must be specifically requested, e.g., John G. Jones must be requested; J. G. Jones is standard.

Releasing Branch and Division

The author's branch, section, or project, etc., appears under his or her name. It is centered, with initial capital letters, and set in italics. The releasing division is placed under this, also with initial capital letters set in italics.

Date

The date shown on the cover (usually month, day, and year) is the date the publication is expected to be completed by the printer and, therefore, readily accessible to the public. This is not the date of release, nor is it the period covered by the report. The date is typed in initial capital letters and placed near the center of the cover. Note that the *manuscript approved* date is printed on page 1 of the text.

Sponsor's Credit Line

This item is optional and is not used in the majority of reports. Its use can serve to alert readers that a particular sponsor's order or contract was instrumental in funding the effort or research reported in the document. It also helps to identify those documents where sponsor, order, or contract number is deemed important.

Activity Seal

The official NRL seal appears on all NRL publications. It signifies that the material is officially approved and released.

Publisher

The name of the laboratory, as publisher and issuing activity, is shown in full in caps: NAVAL RESEARCH LABORATORY.

Place of Publication

Washington, D.C. appears centered under the name of the Laboratory in initial caps. The zip code does not appear.

Downgrading and Declassifying Marking

Downgrading and declassifying statements as set by Executive Order 12356 appear on the front cover of each classified report. This information appears on the lower left quadrant of the cover located just above the final entry, which is the distribution statement.

Distribution Statement

All unclassified NRL reports must have a distribution statement as the final item on the front cover. The information for this statement is obtained from block 16 of the DD Form 1473 (see Section 10, Review and Release). The distribution statement may be printed on the cover of classified reports, but this is not required.

Inside of Front Cover

The inside of the front cover is usually left blank on both NRL and NRL Memorandum Reports.

Back Cover

The back covers on both NRL Reports and NRL Memorandum Reports are the same in layout and differ only in color. They are normally blank on the inside and are made up for mailing on the outside using the standard NRL franking statements and logo.

Binding

The NRL Report cover is a one-piece cover folded in the center and saddle-stitched using two staples in the centerfold. Larger reports are perfect bound (paperback style) with the cover glued to the spine of the report.

The NRL Memorandum Report cover is composed of two halves: front and back. It is stapled to the report by two staples through the left-hand side margin.

NRL Instruction Books are spiral bound for ease of handling in the laboratory or field.

DD FORM 1473

Purpose

The information provided on the DD Form 1473 is used by the Defense Technical Information Center (DTIC) to describe the report in the Defense RDT&E On-Line System (DROLS), an on-line data base containing citations to defense-related technical reports. The data base is used by researchers in the defense community. Access points in the data base include title, performing organization, report number(s), author(s), program element, project and task numbers, contract numbers, report data, and key words. The citation, appearing on-line and in printed bibliographies, includes this information as well as page count and the abstract. It is important that this information be accurate. If possible, this form should be kept unclassified.

Requirements

All NRL Reports and NRL Memorandum Reports must be submitted to DTIC unless specifically exempted by competent authority and, therefore, must contain a DD Form 1473. Reports prepared for informal distribution need not contain this form.

Page Location

The DD Form 1473 forms the first right-hand page after the cover. It carries a lowercase Roman page number and may be listed on the contents page if desired.

Preparation

See Section 10, Review and Release, for instructions and sample.

CONTENTS PAGE

General

All publications must include a contents page. The contents page lists the title and page number of each major chapter, section, or heading usually beginning with the body of the publication. In titling the contents page, do not use the words "TABLE OF." The contents page is a right-hand, odd numbered page. See Section 9, Samples.

Information Contained in Contents

All of the major headings as well as the titles of the appendixes appear on the contents page. It is not necessary to list headings below first order. The elements in the front matter of the publication may or may not appear on the contents page at the discretion of the author. If a foreword and/or preface is used, it (or they) normally are entered on the contents page.

Format

The format is normally single-spaced but can be double-spaced to present a more balanced appearance if the content matter is brief.

Classification Markings

In a classified publication, the overall classification of the report is placed at the top and bottom of the contents page, even if the information in the contents is unclassified. Each contents page heading entry must be followed by the appropriate classification symbol in parentheses to indicate the classification of the heading.

FOREWORD

A foreword page, if used, follows the contents page. A foreword may be used to include the following information:

- Funding or sponsorship
- Purpose of study reported
- Relationship of the publication to others
- Reviewers
- Acknowledgments

PREFACE

A preface, if used, follows the foreword. It may be placed on the same page with the foreword, if they both fit on one page. A preface may be used to:

- Provide a message from the author
- Give background information
- State previous milestones
- Give credit for copyrighted material

LIST OF FIGURES OR TABLES

A list of figure and/or table captions is optional in your printed report. If you feel that it would be helpful to your readers because of a large number of figures and/or tables, include a list of each of them in the front matter of your report. Note this list in the Contents along with the page number on which they appear. Use the heading "Tables" or "Figures", not "List of...". Indicate at the bottom of each list if it is to be printed with your report.

Even if a separate list is not necessary for your published report, a separate list of figure and table captions must be provided for final report preparation by TID. Place the list that is provided only for TID use at the end of your report production package, just before the distribution list.

NOTES

NOTES

SECTION 3

BODY OF REPORT

GENERAL

This section discusses the format of the main body of text for NRL publications. The discussions, examples, and guides in this section are intended to help authors who originate reports, secretaries who type the text, and compositors who prepare the reproduction copy. While the examples may appear to contain points governing format only, many of them such as tables and illustrations, are valuable as guides in preparing data for effective presentation. See Section 9, Samples, for page layouts of examples.

No attempt has been made here to cover every detail that could arise in the preparation of a publication for printing. Rather, the main points of current format requirements and other recurring problems are treated.

The content of the body (or text) is determined by the nature of the work being reported. It should include a statement of the problems, the background, approach to the problem, and discussion of the results, conclusions, and recommendations. Begin the body of the report on a right-hand page.

Classification Markings

For unclassified reports, no classification markings are required anywhere in the publication. For classified reports, in addition to classification markings described in this section, refer to Section 8, Classification Markings.

EXECUTIVE SUMMARY

NRL reports do not usually require an executive summary. For those that do, the following paragraphs may be used as a guideline.

Reports needing an executive summary are those which are apt to be read by high-level executives or senior military officers. Generally these reports are long and include considerable detail on important breakthroughs, research, or development. The higher level executives and managers usually have limited time and do not need to explore a document in depth. Therefore, an executive summary is prepared that highlights the information in each chapter or section that would be important to that readership, and it is presented as the executive summary. It must be brief and be able to stand alone without dependency on or reference to the rest of the report.

The executive summary is often printed on a different color paper so it stands out in physical appearance and is easily found without consulting the contents page. It is usually placed after the front matter (lower-case Roman numeral pages) preceding the main text (Introduction, etc.) and has distinctive page numbers such as E-1, E-2, E-3 . . . , etc. It can be removed from a report without causing any discontinuity in the report.

ABSTRACT

The abstract for an NRL Report or NRL Memorandum Report is printed on the DD Form 1473 and is not separately produced as part of the text. Conversely, most technical journals require a separate abstract as part of the submission.

The abstract must be carefully written. Readers identify the basic content of the document from its abstract and thus decide whether to read the entire document. The abstract will often be published by itself and therefore must be able to stand alone. It should contain no bibliographic, figure, or table references. Abstracts are generally single-paragraph in length and should not exceed 250 words.

INTRODUCTION

Preparing the Introduction

The introduction is very important and should be carefully thought out. It provides a statement of the problem, what you have tried to contribute by your research, and what types of tests and analyses were made. These *three* items are necessary for a good introduction and are discussed further in the following paragraphs.

1. *Problem*—Begin by describing enough of the background to show *where or how the problem arose and how important it is*. What is the Navy's interest in the project? If you do not know the background well enough, do whatever is necessary to give yourself sufficient background to compose an opening that will not confuse the reader with inaccurate or ambiguous statements. If an adequate review of the background would be too long to be included in the introduction, summarize it in the first section of the introduction, then provide a separate chapter for the detailed background at an appropriate point in the report.

2. *Contributions of your research*—Having stated where the problem exists, or, in general, what the background is, now state broadly *what it is that you have tried to contribute by your research* and along what general lines you have worked. Relate your contribution to those of previous workers. What was the status of the problem prior to your efforts?

3. *Approach*—The reader is now aware of what you have tried to do and why. It is usually desirable at this point to add a final portion to the introduction, in which you state more specifically *what types of tests and analyses were made*, the ranges of variables considered, and similar information that broadly defines the nature and extent of your work. The reader will thereby get an insight into the scope and thoroughness of your research and will know what to expect in the report. Also, if new, unusual, or special equipment was used, you may need to describe it in a separate section. If some particular ingenuity was involved, be sure that your presentation makes that clear. The reason is not that you must brag wherever possible, but that you must not present something new with so little emphasis (as if it were obvious or well known) that the contribution cannot be recognized. The same rule, of course, applies to any part of your report. A reader becomes bewildered when the discussion does not indicate what is old and what is new.

If a report is dependent on the reader's familiarity with fundamental theory, the author may help the reader by a brief review of theory related to the subject. References are also helpful. The best rule of thumb is to write for the reader who is professionally familiar with the general field in which you are working but who may nevertheless be unacquainted with your particular specialty. In a highly technical or long report, the review of basic theory may require a separate section or an appendix.

The development of the introduction depends on the length and complexity of the report. The introduction should be kept in balance with the rest of the report. An introductory section which constitutes half of the report is obviously out of balance. The introduction should not be allowed to exceed

its functions. Remember that the introduction must provide a useful base from which to proceed into the narrative. It should point the way toward the project's objectives. Do not be vague, but be as brief and direct as possible.

One other consideration is the word "Introduction." Although most generally used to title this section, its use is not obligatory if a more satisfactory or descriptive word or phrase is available.

MAIN TEXT

Preparing the Text

The main body of the text describes in detail all unique aspects of the research that were performed. Carefully explain all elements involved in the research, including unusual equipment developed, new procedures followed, tests that were performed, etc. Be wary of ambiguous statements. Be sure that the results are clearly and logically stated. Reputable, scientific reporting should supply enough information in a useful manner that a qualified scientist, following the described procedures, can consistently duplicate the results.

Headings

General

The use of headings in reports aids both the reader and the writer. Obviously, using headings helps the reader to locate the information they're most interested in and shows them how that information is organized. Less obviously, headings are of great assistance to the writer. The writer must clarify an outline in order to define logical divisions and relationships within the report. Headings force the writer to plan the organization of the text.

Format

The text is divided into sections introduced by headings that denote the relative level of importance of the sectioned material. Thus, each time a particular section is further divided and becomes less important to the main thrust, a heading reflecting this diminished level is also used.

The heading format at NRL has been standardized into a style with an orderly breakdown according to the relative importance of the text material. It begins by making the two most important (highest) heads or headings centered heads. Then, in descending order, the next three headings are sideheads (flush left). The next heading level is indented and stands alone, but the final two levels are indented and run in with the paragraphs (separated from the paragraph material by a dash). These headings with their description and security markings (if required) are listed next in descending order as follows:

CAC (Center All Caps), TITLE FOLLOWED BY CLASSIFICATION (U)
CIC (Center Initial Caps), Title Followed by Classification (U)

1. (U) FLAC (Flush Left All Caps) **HEADING** (Bold)
2. (U) FLIC (Flush Left Initial Caps) **Heading** (Bold)
3. (U) FLIC *Heading* (Italic)
4. (U) **Indent Heading Initial Caps** (Bold)
5. (U) *Indent Heading Initial Caps* (Italic) — (U) Run in with paragraph
6. (U) *Indent heading* (Italic) Only first word initial caps — (U) Run in with paragraph

If your typing equipment cannot produce italics, underscore headings that are indicated above for italics. Headings do not have to be numbered.

Classification Marking

The location of classification marking of headings is illustrated above. Headings are marked according to their own classification and do not reflect the overall classification of the material which follows. Once a heading is identified, it becomes a paragraph for marking purposes, e.g., A. (U) Summary.

Footnotes

General

A footnote acknowledges the source of, or briefly comments on, information presented in the text.

Format

Sequential footnote reference marks are (*) asterisk, (†) dagger, and (‡) double dagger. Footnote reference marks follow all punctuation marks except a dash, but fall inside a closing parenthesis or bracket if applying only to matter within the parentheses or brackets.

Placement on Page

Footnotes are placed at the bottom on the page, in the order in which they are referred to in the text. A footnote cutoff rule, i.e., a typed line, 12 spaces long, is used to separate the text from the footnotes. The line is double spaced below the final line of text. Care must be taken in planning the page to ensure that the footnotes are completed 1/2-inch above the page number. When it is impossible to complete a footnote on the page to which it is keyed, it is continued at the bottom of the following page, below the cutoff rule, but above any other footnotes beginning on the new page.

References

General

A reference cites specific bibliographic material in support of information presented in the text. When more than three or four documents are cited in the text, they should be fully listed in the References section placed at the end of the text. When only one or two documents are cited, they may be shown as footnotes on the page where they are cited.

Unclassified, distribution unlimited reports may not contain references to classified reports.

Format (for referring to in text)

References are cited in the text by consecutive numbers enclosed in brackets []. Start with [1] and number sequentially throughout the paper. If a reference is repeated, do not give it a new number, use the original reference number. When more than one reference is cited at a single point, separate the numbers by commas [1,3,14]. If they are part of a consecutive series, use a hyphen [1-8].

An alternative method is to refer to the author, date in the text, e.g., "Contamination of fuel tanks was examined in detail (May and Neihof 1982)", or "according to Goodman (1978)....". These references are indexed alphabetically by first author. For more than two authors, in the text use the name of the first followed by "et al." All authors are then cited in the References listing. Two or more references given together are separated by semicolons, e.g. (Harris et al. 1982; Gordon 1978; Mied 1977).

Either method is acceptable in NRL reports. However, the two methods may not be intermixed in any given report.

See Section 4, Back Elements, for details on preparing the reference list.

Figures (Illustrations)

General

The purpose of a figure (or illustration) is to supplement the text, call attention to details, or present ideas difficult to describe in writing. In general, visual presentation by means of charts or curves will put across your points more effectively than tables. (See Section 9, Samples.)

Considerable thought should be given to the question of how to plot your results so that your message will be easily grasped. Do not crowd too many curves onto one figure, but avoid leaving large, empty spaces. The reader should be able to easily identify each curve as it is discussed in the text.

State clearly in the text what each figure shows and how the figure shows it. Avoid referring to a figure in so casual a manner that the reader must determine how the figure is related to your discussion.

Preparation Requirements

Figures must be neatly done. In many cases, they are professionally prepared by TID to ensure consistency and high quality. Figures in NRL Memorandum Reports or in other informal NRL publications may be prepared by the originating office. For instance, figures made by computerized plotters, or good quality photocopies may be used. Labels and titles should be appropriate to the size to which the figure will be reduced or enlarged. Be aware that multiple photocopying may change proportions.

Do not write on the front or back of figures, illustrations, or photographs with a ballpoint pen or any sharp instrument that will emboss them. Such marks will photograph and will appear on the final reproduced copy. If markings are necessary for identification, use a stick-on label that is marked before adhering, or write very lightly on the back of the figure with a pencil, away from the area that is to be reproduced.

A separate figure caption list must be provided with each report submitted for publication.

Callouts (Labels)

It is often helpful to call out (label) various parts of a figure or illustration. If space permits, this may be done directly on the figure itself. If the callouts are numerous or complicated, they may be keyed to a legend. Place full callouts horizontally, unboxed, near the item called out. Numbers referring to a legend should be placed in circles with arrows indicating the position.

Page Location

Figures follow the first text reference (on the same page, if possible) or they are grouped in numerical sequence following the final text page but before the references or bibliography.

Numbering and Titling

All figures are numbered and titled. Consecutive Arabic numbers are used. Captions are typed using an initial capital letter in the first word only, unless normally capitalized words or acronyms are used after the first word. If a figure caption is two lines long, the second line is centered, single-space, under the first caption line *including the figure number*. If the figure caption is three or more lines long, the lines are typed full-caption width, same as the first line of the caption *including the figure number*.

Position on Page

Every effort should be made to place figures vertically on the page so that the publication does not have to be turned. If a figure must be placed sideways on a page, turn it so that the bottom of the figure is at the right margin of the page so that it can be viewed by turning the page clockwise. More than one figure may be placed on a single page.

Referring to Figures in the Text

All figures must have a text reference. This reference will abbreviate "Figure" and use "Fig." (unless it is the first word in the sentence—in which case, spell out "Figure"), followed by the figure number (e.g., Fig. 3)

Spacing

If figures are inserted in the text, at least two lines of spacing are used between text and figures. Two lines of spacing are used between the bottom of the figure itself and the figure caption.

Foldouts

Because of the additional production costs involved, foldout figures should be avoided whenever possible. If foldouts must be used, TID will prepare them.

Photographs

Photographs are mounted by TID. Previously printed, color, or screened photographs should not be used as original copy because they do not reproduce as well as matte finish black-and-white photographs.

Classification Markings

In a classified publication, the classification of both the figure itself and its caption must be indicated. The preferred location of the classification of the figure is centered, in capital letters directly below the figure but above the caption. However, for spacing purposes it can be located either inside or outside the illustration area. The classification symbol of the figure caption appears immediately following the figure number and dash (actually in front of the caption).

Tables

General

A table is a systematic, condensed presentation of related data for ready reference. Tables must be done neatly. For all NRL Reports they are prepared by the Computerized Technical Composition Section. Tables in NRL Memorandum Reports or other informal NRL publications may be of lesser quality. For instance, computer printouts or photographically reproduced copies may be used if they are very clear. However, be aware that tables may be reduced in the reproduction process and thus become unreadable.

A note of caution on tables should be mentioned here. In general, visual presentation by means of charts or curves is more effective than tabular presentation. Some writers present numerical results only in the form of tables, often because they have studied the results so thoroughly that they can easily see the significant trends from the numbers alone. The reader, however, is much less familiar with the results and may fail to see from the tables the trends that seem so obvious to the author.

Tables should be kept as simple as possible so that the reader can easily grasp the meaning of the data. Avoid vertical and horizontal lines wherever spacing can be used effectively. A separate table caption list must be provided with each report submitted for publication.

Numbering

Tables are numbered consecutively throughout the report with Arabic numbers. Tables in the appendixes carry the designation of the appendix in which they appear, e.g., Table B2, Table C5, etc. (If there is only one appendix, it is referred to in the text as the appendix; tables in this appendix are labeled Table A1, Table A2, etc.)

Titling

The title of a table should briefly identify the table. It should not furnish background information nor describe the results illustrated by the table.

If a table title is more than one line, subsequent lines are centered under the complete first line of the title (including the table number) and are single-spaced. The table title is typed with initial capital letters. The table number is followed by a dash. Example:

Table 10 — Sample Weight Loss and Smoke Concentration
Data for Hydraulic Fluid

Referring to Tables in the Text

All numbered tables must have a text reference. The word "Table" is spelled out with initial capital letters followed by the table number, and presented sequentially. However, if a short table is run in with the text, it need not be numbered if it is not referred to later. It is called a text table and is introduced by a phrase or colon in the text.

Placement

Locate tables following and as near as possible to their first text reference. When a report contains only a few text pages and many tables, locate the tables in numerical sequence following the main body of the report.

Place tables so that they may be viewed without turning the publication sideways. If this is not possible, place each table so that the bottom of the table is at the right-hand margin of the page and the table can be read by rotating the page clockwise. See Section 9, Samples.

When tables continue on two or more pages, note the continuation and repeat the column headings on each page. Column headings need not be repeated on the second page when a long table is placed sideways on facing pages.

More than one table may be placed on a page. See Section 9, Samples.

Spacing

Tables are single spaced unless double spacing presents a more balanced page. Double spacing should be used between major sections or parts of a table.

Column Headings

Column headings in tables are initial caps unless acronyms or abbreviations are used.

Footnotes to Tables

Table footnotes immediately follow the table and need not show a separate level of security classification; they are considered to be an integral part of the table. However, in classified publications, make certain that the table classification is centered below the table footnotes. Footnotes are indicated in the table by (*) asterisk, (†) dagger, and (§) double dagger. (See Section 9, Samples.)

Classification Markings

In a classified publication, all tables and table titles must indicate the level of classification, even if they are unclassified. The classification of the table is centered in capital letters immediately below the table. The classification symbol for the table title appears in parenthesis immediately following the table number and dash (actually in front of the title itself).

Equations (referring to in the text)

In the text, specific equations are referred to as Eq. (), unless this is the first word of a sentence, in which case, it is Equation (). For preparation guides, See Section 7, Mathematical Expressions.

CONCLUSIONS/CONCLUDING REMARKS

The Conclusions state concisely (seldom more than two sentences per conclusion) what you have concluded from your research. They should be written with little or no reference to the body of the report as a favor to those readers who proceed directly from the Introduction to the Conclusions in order to see what results were obtained. Another purpose for making Conclusions self-sufficient is to minimize the possibility of a misunderstanding if they are quoted.

Sometimes the research turns out in such a way that enumerating sharply drawn conclusions is practically impossible. In such cases, a short discussion of the problem, and what you learned or believe about it should be given under Conclusions. Sometimes, however, the original problem, as stated in the Introduction, remains essentially unanswered (as when the experimental technique turned out to be inappropriate, or the information obtained turned out to be less useful than originally expected). A frank discussion of the situation, possibly together with suggestions for future research, is preferable in such cases to drawing uninteresting or irrelevant conclusions. Such a final section is generally entitled Concluding Remarks.

Sometimes the technical report merely describes equipment or procedures, or it tabulates design data obtained by standard methods. Neither Conclusions nor Concluding Remarks is usually appropriate for such a paper. If a closing section is desired, it might be a Summary, in which the information is briefly sketched and the charts or tables containing the data are indicated.

RECOMMENDATIONS

At times, a technical report calls for more than conclusions, or it may need recommendations and not conclusions. Also, a sponsor may desire guidance in making decisions based on the outcome of the report. In such cases, a Recommendations section may be necessary to complete the main text satisfactorily.

Recommendations can be used to show that a need exists for more research on the subject of the report before any conclusions can be reached. They may also be used to point out that the R&D funding is, or has been, inadequate to produce the necessary solution to the problem—thus recommending more realistic funding. Recommendations may include advice that contractors be changed, that the present contractor is inadequate to do the job for various reasons which may be beyond the control of the contractor, e.g., too small, too new in the field, more expensive equipment or machines needed.

They may indicate that an entirely different approach or design is needed to effectively solve the problem—or that more time, effort, or money is needed on certain phases of the problem. Do not use this section as a forum for gripes or unsubstantiated opinions.

ACKNOWLEDGMENTS

An Acknowledgments section may be placed at the end of the formal text (before the References) to acknowledge the contributions of persons, other than coauthors, who have added substantially to the work. Recognition of assistance should be stated as simply as possible.

NOTES

SECTION 4

BACK ELEMENTS

The back elements in a report include mainly the references, bibliography, glossary, appendixes, and distribution list. Only the distribution list may be necessary in one report, yet all elements may be needed in another report. Other reports may need just one or two of them. A discussion of each follows.

REFERENCES

General

The purpose of the references section is to systematically list all of the documents specifically referred to in the body of the text.

Requirements

A list of references must be included at the end of the main text if more than three or four documents are referred to in the text. For only a few citations, they may be presented at the bottom of the page where the citation occurs.

Location

The list of references immediately follows the text. It may begin on the final page of the text, or it may begin on a new page.

Classification Requirements

In unclassified, distribution unlimited reports, all references listed must pertain to unclassified documents only.

In classified reports, the classification of the title of each entry in the reference list is marked with the appropriate classification symbol in parenthesis after the title, indicating the classification of the title itself. Classification of the bibliographic entry is spelled out in initial caps in parenthesis, as the final item in the reference listing (followed by a period).

If the entire reference listing in a classified report is unclassified, place the following statement at the top of each page of references:

(This Listing Is Unclassified)

The page will carry the overall classification of the document, but the statement indicates that all entries are unclassified. Thus, it is not necessary to mark each entry individually.

No classification markings are required in unclassified reports.

Format*

References are cited in the text by consecutive numbers enclosed in brackets []. Start with [1] and number sequentially throughout the report. If a reference is repeated, do not give it a new number, use the original reference number. When more than one reference is cited at a single point, separate the numbers by commas [1,3,14]. If the numbers are a consecutive series, use a hyphen [1-8].

An alternative method is to refer to the author, date in the text, e.g., "Contamination of fuel tanks was examined in detail (May and Neihof 1982)....", or "according to Goodman (1978)....". These references are indexed alphabetically by first author. For more than two authors, in the text use the name of the first followed by "et al." All authors then are cited in the References listing.

Two or more references given together in the text are separated by semicolons, e.g. (Harris et al. 1982; Gordon 1978; Mied 1977).

Each entry on the reference list is single-spaced, with double-spacing between entries. All authors are listed; use of the term *et al.* should be avoided in the reference listing.

Segments of each reference should be listed in the following order:

1. Author's initials, then last name,
2. Title of report, paper, or book,
3. Number of report (or name of publishing company),
4. Date of report (or publication year),
5. Page number(s), if applicable. (For more than one page, the listing pp. precedes the page numbers, e.g. pp. 15-36).

EXAMPLES

NRL Reports

- R.K. Stillings and H.E. Gerber, "Design and Fabrication of an Aerosol Concentrator," NRL Memorandum Report 4208, May 1980.
- (This listing shows how classification markings are handled.)
P. Lanzano and J. C. Daley, "Elastic Deformations of a Rotating Spheroidal Earth Due to Surface Loads (U)," NRL Report 8410, June 1980, pp. 15-21 (Classification).

Note: For publication date, day of the month is not used and month abbreviation is preferred, e.g. Sept. 1980, not September 15, 1980.

Scientific Laboratory/Government/Technical Reports

Note: In technical report citations, the corporate author may be of greater interest than the personal author. Depending on the situation, the corporate author, personal author, or title may be the first item in the listing.

- (corporate author, report number)
David Taylor Ship R&D Center Report TM 28-82-15, "Evaluation of Selected Coalescer Filters and Prefilters at Pall Corporation Facilities," P. Strandell, 1982.

*Note to typist: If italics are not available, underscore title of publication.

- (personal author)
K. Biba, J. Woodward, and G. Nibaldi, "A Kernel Based Secure UNIX Design," MTR-2709, MITRE Corp., Bedford, Mass., June 1973.
- (title)
"Navigation Technology Satellite (NTS) Low Cost Timing Receiver," Goddard Space Flight Center Report X-814-77-205, Aug. 1977.

Journal Articles*

Note: Titles of articles in journals may be omitted, but if one title is omitted, all must be omitted.

- R. L. Kaufmann, *J. Geophys. Res.* **85**(A4), 1713-1721 (1980).
- E. C. Hill, D. A. Evans, and I. Davies, "The Growth and Survival of Microorganisms in Aviation Kerosene," *J. Inst. Petroleum* **56**(3), 15-43 (1967). (56 refers to volume number, 3 refers to number 3 of that volume.)

Note: Only standard abbreviations for journal titles should be used; if in doubt, spell out entire journal title. TID Editorial Section, x72782, has listings of standard abbreviations.

Proceedings*

- R. K. Royce, "An Approach to Shipboard HF Receiving Systems," Proceedings of the ECOM-ARO Workshop on Electrically Small Antennas, G. Goubau and F. Schwing, eds., May 6 and 7, 1976, U.S. Army Electronics Command, Fort Monmouth, N.J., Oct. 1976, pp. 189-198.

Books*

- (authors; no editor)
S. D. Stearns, *Digital Signal Analysis* (Hayden Book Co., Inc., Rochelle Park, N.J., 1975), Ch. 8.
- (editor; no author)
R. C. Weast, ed., *CRC Handbook of Chemistry and Physics*, 58th ed. (CRC Press Inc., Cleveland, Ohio, 1977), p. B-121.
- (author and editor)
Z. Haskin, in *Mechanics of Composite Materials*, F. W. Wendt, H. Liebowitz, and N. Perrone, eds. (Pergamon Press, New York, 1967).
- (no personal author or editor)
International Telephone and Telegraph Co., *Reference Data for Radio Engineers*, 6th ed. (Howard W. Sams and Co., Inc., Indianapolis, Ind., 1975), Ch. 29.
- (chapter)
D. Casasent and H. J. Caulfield, "Basic Concepts," in *Topics in Applied Physics*, D. Casasent, ed. (Springer-Verlag, Berlin, 1978), Ch. 3, pp. 70-89.

*Note to typist: If italics are not available, underscore title of publication.

University Publications

- E. R. G. Ekert, "Mass Transfer Cooling of a Laminar Boundary Layer," Univ. of Minn. Tech. Note 14, June 1957, p. 10.

Theses and Dissertations

- D. B. Ross, "The Photolysis of Phenyl Alkyl Sulfide," Masters thesis, Columbia University, New York, 1970.
- S. S. Lam, "Packet Switching in a Multi-Access Broadcast Channel with Application to Satellite Communications in a Computer Network," Ph.D. dissertation, Department of Computer Science, University of California, Los Angeles Div., 1974.

References Using Ibid.*

Note: Ibid. is the abbreviation for ibidem, meaning "in the same place." Ibid. takes the place of the author's name, the title of the work, and as much of the preceding material as is identical. The author's name is never used with ibid., nor is a title.

- I. M. Losh, *Diaries and Correspondence* 1, 150 (1979).
- Ibid., 2, 175.
- Ibid., p. 176. [The same vol. no. as the preceding note.]

Patents

R. L. Robinson, Jr., "Fixed Geometry Test Source Assembly for Gas Flow Proportional Counters," U.S. Patent 3,538,327, 1970.

Material Accepted for Publication but Not Yet Published

- (book)
J. Medlin, *A Study of World Pollution* (Midway Press, Chicago, forthcoming) (or "in press," or "in publication" or "publication pending.").
- (Journal article)
B. Bernard, "Dynamic Social Networks," *Connections*, in press.

Papers Presented at Conferences or Symposia (Not Appearing in Proceedings)

- I. R. Goodman, "A General Model for the Multiple Target Correlation and Tracking Problem," presented at the 18th IEEE Conference on Decision and Control, Ft. Lauderdale, Fla., Dec. 1979.

Private Communication

Note: Use of this is discouraged as the information may not be readily available to readers.

- P. Jones, National Bureau of Standards, Boulder, Colo., private communication, Dec. 1980.

*Note to typist: If italics are not available, underscore title of publication.

Pamphlets

- S. Katzoff, "Clarity in Technical Reporting," NASA Pamphlet No. SP-7010, Washington, D.C., 1964.
- "Don't Talk—Communicate," Navy Publications and Printing Service (NPPS) Pamphlet NAVPUB P3150-1 (2-78), Dept. of the Navy, Washington, D.C.

Brochures

- "A Brief Look at NRL," (brochure), Naval Research Laboratory, Washington, D.C., 1978.
- "The World Below a Micron," (brochure) NRL 2600-0019-6/81-500, Naval Research Laboratory, Washington, D.C., 1981.

News Article

- V. Cohn, "Experts See Race for Lunar Sample," The Washington Post, Washington, D.C., July 14, 1969, p. A1.

Memorandum

- J. S. Barrowman, "Lockheed RPM2 Program Usage," Memorandum to Flight Performance Section files, NASA-Langley Space Flight Center, Langley, Va., Feb. 8, 1966.

Computer Programs*

A reference to a computer program, package, language, system, etc., all collectively known as software, should include, in general:

- The fully spelled-out title, except for the common ones such as BASIC, FORTRAN, COBOL.
- The identifying detail, such as version, level, release number, or the date.
- In parentheses, the short name or acronym (where applicable) and any other information necessary for specific identification.
- The city and name of the person, company, or organization having the proprietary rights to the software.

The following examples suggest how to make the names of computer programs into printed entries:

- FORTRAN H-extended Version (or Ver.) 2. 3. White Plains, N.Y.: IBM.
- Houston Automatic Spooling Priority II Ver. 4.0 (HASP II 4.0). White Plains, N.Y.: IBM.
- International Mathematical Subroutine Library Edition 8 (IMSL 8). Houston, Tex.: International Mathematical Subroutine Library, Inc.
- Operating System/Virtual Storage Rel. 1.7 (OS/VS 1.7). White Plains, N.Y.: IBM.
- Statistical Package for the Social Sciences Level M Ver. 8.1 (SPSS Lev. M 8.1) Chicago: SPSS.

*Reprinted from *The Chicago Manual of Style*, Thirteenth Edition, Revised and Expanded, 16.182, pp. 482-483, by permission of the University of Chicago Press. ©1969, 1982 by The University of Chicago.

BIBLIOGRAPHY

The purpose of a bibliography is to list documents consulted by the author but not specifically referred to in the text. A bibliography is optional, and most technical reports do not have them. In a bibliography, the name of a personal author standing first is inverted, thus placing the last name first, then a comma followed by the first name initial, and next, the middle initial, if desired. The entries are arranged in alphabetical order by author's name instead of in the order of citation in text as are the entries of a reference list. A complex or lengthy bibliography may be divided into general subjects or classifications, with the entries alphabetized within these classifications.

Except for inversion of the first author's name, the format for individual entries is the same as that described for references.

GLOSSARY

The glossary is an alphabetical listing of definitions of specialized terms. In reports that are written for both technical and nontechnical readers, a glossary permits the definition of technical terms for the nontechnical reader while not interrupting the technical reader who is familiar with the terms.

Location

The glossary is placed immediately after the references at the end of the report. It must be listed in the table of contents.

Spacing

The glossary is typed single-spaced.

Classification Markings

If the publication is *classified*, and the entire glossary is *unclassified*, place the following statement in parentheses at the top of the first page: (This Glossary Is Unclassified). This indicates that no classification markings appear anywhere in the glossary. The page that the glossary is printed on, however, must retain a page classification that reflects the highest classification used in the entire report (placed top and bottom on each page).

If the publication is *classified* and any of the abbreviations, acronyms, symbols, or terms in the glossary are *classified*, each item will be preceded by its classification symbol in parentheses.

APPENDIXES

Appendixes contain supplementary information that supports the main body of the publication but is not an integral part of it. Supporting information, such as detailed specifications, complicated mathematical derivations, or similar material that should be recorded but is of little interest to the average reader also should be placed in appendixes. An appendix usually contains some text but occasionally contains only a series of equations, tables, or figures.

Referring to Appendixes in the Text

Each appendix must be called out in the body of the report. Each is given a title and listed in the Contents. A single appendix is referred to as the Appendix. Two or more are referred to as Appendix A, Appendix B, etc.

Numbering Tables, Figures, and Equations

Tables, figures, and equations are numbered with the letter designation of the appendix in which they occur, e.g., Fig. A1, Table B3, Eq. (C5), etc. Tables, figures and equations in the Appendix (single appendix) are referred to as Table A1, Fig. A1, Eq. (A1), etc.

Location

Appendixes are placed immediately after the References. Each appendix begins on a new page. If there is no reference material, they follow the conclusion of the main text.

Classification Markings

Each appendix carries its own classification markings, which may not be the same as the classification of the main body of the publication. Frequently, the only part of a publication that is *unclassified* is the appendixes. If this is the case, a statement may be placed at the top of each unclassified appendix in parentheses as follows: (This Appendix Is Unclassified), indicating that no classification markings appear anywhere in the appendix. Thus, the appendix stands on its own and can be pulled out and used as a separate unclassified document.

Conversely, if the only part of a publication that is *classified* is the appendix, then it is completely copymarked, heading by heading and paragraph by paragraph, to show the classification of each classifiable part. Also, each page of the publication including appendix pages must carry a page classification that reflects the highest classification used in the entire report (placed top and bottom on each page).

DISTRIBUTION LIST

The distribution list must be included, and it is the final item in the report production package. Distribution lists are not automatically printed and bound with the report, but this can be done if desired. Indicate on the route sheet that the distribution list is to be printed and bound with the report.

All Defense Nuclear Agency (DNA)-sponsored reports are required to have their distribution lists printed and bound with the report.

Format

The distribution list is prepared separately from the text. It should be typed single-spaced, with double-spacing between each entry. It must specify the recipient and number of copies to be sent to each addressee. Complete mailing addresses are required; Zip codes must be included. Internal distribution (within NRL) must be listed by code. External addressees are followed by internal addressees on the distribution list.

The report name, author(s), and code are placed at the beginning of the distribution list. See Section 9, Samples.

NOTES

SECTION 5

TECHNICAL SPECIFICATIONS

GENERAL

NRL Reports are phototypeset. If not prepared by the Computerized Technical Composition Section, manuscripts should be typed double-spaced on plain white bond paper.

NRL Memorandum Reports are prepared for direct reproduction on typing guides available from Stationary Supply, Bldg. 71.

REPRODUCIBLE OR CAMERA-READY COPY

Reproducible copy consists of text and illustration pages that have been corrected, laid out, and made ready for reproduction. For reproducible copy, *original* typewritten text and tables, original computer printouts, and original line drawings are preferred. Submit original photographs rather than screened (halftone) reproductions when practical. Do not crop or mask photographs. This will be done by TID during the final layout process before the report is sent to the printer. Only reproduced matter that will be legible in microform is acceptable.

Typing guides for reproducible copy (NRL-NDW 5216/2617, NDW-NRL 5216-2618, and NDW-NRL 5216-2619) are available from the Stationary Supply, Bldg. 71. The guides are unmarked for unclassified reports but labeled secret or confidential for classified reports. Use of the proper guide is required.

Caution: Do not write on the front or back of photographs with a ballpoint pen or use any sharp instrument that will emboss them. Such marks will photograph and will appear on the final reproduced copy. If written markings are necessary for identification purposes, write outside of the image area so that acceptable reproduced copy can be obtained or use a stick-on label that is marked before adhering.

TYPE

Use standard type size, 10 or 12 point (10 or 12 pitch on typewriters/word processors), or equivalent, for text. Special type, such as all capital letters, script, etc., may be used for headings, titles, equations, and emphasis.

PAGE LAYOUT

Text will be reproduced on both sides of all pages, except as otherwise prescribed in this guide and in large sectionalized reports where it may be more convenient and practical to begin sections or chapters on right-hand pages.

TEXT IMAGE AREA

The total image area of the reproducible copy for text, footnotes, tables, and/or illustrations with captions is 6-1/2 x 9 inches.

SPACING AND INDENTIONS

Whenever possible use single-spacing between lines for NRL Memorandum Reports. With single spacing, double-space between paragraphs. For material with superscripts and subscripts, precluding the use of single-spaced copy, use 1-1/2 spacing throughout with triple spacing between paragraphs. Indent all paragraphs five spaces.

HEADINGS

(See Section 3, Body of Report, Main Text Section.)

PAGINATION

Number all pages in the front matter by using lowercase Roman numerals starting with i on the first page which is the DD Form 1473.

Number the main text and the remainder of the publication by using Arabic numbers starting with 1, on a right-hand page, at the bottom center. When more practical, such as in the preparation of large handbooks, compound sectionalized pagination (1-1, 1-2, etc.) can be used. Center compound page numbers at the bottom of the page. Separate volumes must be numbered independently. Right-hand pages are odd-numbered pages, and left-hand pages are even-numbered pages. Every odd-numbered page must be backed up with an even-numbered page. In a classified report, however, certain left-hand pages may be left entirely blank. But in so doing, the previous right-hand page (the flip side) must be annotated below the page number with the phrase: "(Page _ blank).

Page 1 begins with the title, centered, all caps. This is followed, two spaces below, by the INTRODUCTION or other section heading. No author(s), abstract, or other information appears on Page 1. Text begins immediately after the title. This format is the same for both NRL Reports and NRL Memorandum Reports.

COLOR

The use of color increases costs. Government printing regulations require that all multicolor printing contributes *demonstrable value* toward achieving a greater fulfillment of the ultimate end-purpose of the printed item. *Demonstrable value* for multicolor printing includes items in the following categories:

- Maps and technical diagrams where additional color is necessary for clarity.
- Object identification (medical specimens, diseases, plants, flags, uniforms, etc.).
- Safety programs, fire prevention, savings bonds programs, and competitive areas of personnel recruiting.
- Areas where clearly identifiable savings can be soundly predicated on multicolor use.
- Printing for programs required by law, whose relative success or failure is in direct ratio to the degree of public response, and where that response can be logically attributable to the number of colors planned and the manner in which they are proposed to be used.
- Color for promotional or motivational purposes such as programs concerning public health, safety, consumer benefits; or to encourage utilization of Government facilities such as programs for social security, medicare, and certain areas of need for veterans would come within this category.

If your need for color reproduction satisfies one of the above categories, provide a signed justification for its use with your report production package.

Multicolor printing which does not meet the *demonstrably valuable* contribution requirement includes, but is not exclusively limited to, the following categories:

- Printed items where additional color is used primarily for decorative effect.
- Printed items where additional color is used primarily in lieu of effective layout and design.
- Printed items where additional color is used excessively, i.e., four colors when two or three will fulfill the need; three colors when two are adequate; two colors when one is adequate.
- Printed items where the use of color reflects the lack of careful, competent advance planning.

Often screens, crosshatching, reverses, dots, or similar techniques can be effective substitutes for color.

FOLDOUTS

Whenever possible, because of the added expense involved, avoid the use of oversize illustrations that must be folded. Often a large illustration can be divided to appear on facing pages. When foldouts cannot be avoided, TID will prepare them.

PRINTING

Most NRL reports are printed on an offset printing press. This entails photographing the final, corrected reproducible or camera-ready copy. The platemaker in the print shop (either at NRL or at a contractor's print shop) photographs each page onto either a paper or metal plate which is photosensitive. A paper plate (or master) is usually used for short press runs (up to approximately 100 copies). They deteriorate rapidly when used over this limit. A metal plate is used for all jobs over a certain minimum, usually anything over 100 impressions. The metal plate, which resembles heavy aluminum foil, is made of zinc, magnesium, or copper and is good for several thousand copies before any noticeable deterioration sets in.

Xerographic reproduction is also used for some NRL reports of very short run (from one to less than 100 copies). Good quality xerographic copies are hard to tell from offset printed copies by the average observer and save money compared to short-run offset printing costs. However, some reports limit its use, especially those having high-resolution halftone photographs or very detailed artwork, that do not print well in the copying process. In such cases, the photographs or artwork must be done by some other process and collated into the final product.

BINDING

NRL Reports are bound by a variety of methods, e.g., sidestitch, perfect bind (glue-bind), or saddlestitch with two staples (depending on the thickness of the document). NRL Memorandum Reports are generally stapled at the left margin.

Sometimes, a binding called Velo-bind is used on reports that are not intended to be taken apart (high security classification, handouts, short life expectancy, etc.). This binding is composed of two plastic strips fastened together on the outside of the document by plastic nails (usually three or more) running through holes punched in the printed pages. After the binding edge of the document is compressed, the plastic nails are cut off and heat sealed, thus binding the pages together. This method has some disadvantages. Velo-bound documents do not stack neatly nor do they fit nicely into bookshelves because of the plastic strips on the outside of the cover extending down the entire bind, giving each document a sort of pie shape. Another disadvantage is the relatively high cost of these plastic binding devices.

Other special types of bindings are available upon request for specific requirements.

NOTES

SECTION 6

COPYRIGHTS AND TRADEMARKS

COPYRIGHT

Under the United States Copyright Law of 1978, original works of authorship (published or unpublished) are automatically copyrighted when fixed in any tangible medium or expression. Registration with the Copyright Office is not required for the copyright to come into effect. The copyright endures for the life of the author, plus 50 years. However, works prepared by U.S. Government employees as part of their official duties are not copyrightable. Contact the Patent Counsel (Code 2004, x73427) if you have questions regarding your research and copyrights.

The owner of a copyright is entitled to control certain uses of his or her copyrighted work, including reproduction of the copyrighted work and public distribution of these copies. Accordingly, a publisher wishing to publish an article in a journal must obtain a transfer of the right of publication from the author. Such a transfer request is now a matter of routine for most publishers of scientific journals.

However, as noted above, a publication prepared by an employee of the U.S. Government as part of that person's official duties cannot be copyrighted (17 U.S.C. 105). Accordingly, a Department of Navy employee cannot execute any document which expressly or impliedly asserts a copyright in a work, or which purports to transfer copyright if the work was prepared as part of the employee's official duties. See NRL Instruction 5870.6 for additional details.

Most publishers who request a transfer of rights from an author have a place on their transfer form for Government employees to sign, with the author's signature certifying that the work is that of the U.S. Government and is not protected by U.S. Copyright. If the publisher's transfer form does not contain a section thereon for U.S. Government employees, it may not be signed. Instead, the author must provide a written statement certifying:

"I am a U.S. Government employee. This work
(identify the work) was produced as part of my
official duties. Thus, it is a work of the U.S.
Government and is not protected by copyright.

Signature _____
Date _____

Regarding the use of previously copyrighted materials in Navy publications, such copyrighted materials shall not knowingly be included in Navy publications or other works without license or consent of the copyright owner or his agent. The Publications Control Center (Code 2630.1, x73508) is responsible for processing requests to use copyrighted materials. See NRL Instruction 5870.1E for further information. Forms for requesting permission to use copyrighted material are available at the TID Service Desk. (See sample at end of this section.)

Classified documents may be reproduced only as provided by security regulations, and a limiting statement in the document may forbid its distribution or reproduction in whole or in part, except under prescribed conditions.

Even if material that you wish to reproduce has not actually been copyrighted, courtesy requires that you give credit in every instance. If you plan to quote extensively from a publication that is not protected by copyright or to use tabular or graphic material from it, you should obtain written permission from the author in advance, even though this is not required by law.

The inclusion of proprietary data developed by a private company at its own expense and not while under Government contract is prohibited in an NRL publication unless written permission from the originating company is obtained to use or publish the data.

WHAT NOT TO COPYRIGHT

The following may not be copyrighted:

- Government-originated material. Writing done by Government employees as part of their official duties cannot be copyrighted. Government material may be copied in NRL publications.
- Titles. Titles cannot be copyrighted.
- Work originated by others. Material written by one person cannot be copyrighted by another as his work.

FAIR USE

Small sections of copyrighted material may be quoted in NRL publications if they are properly credited. Standard footnote procedure is used to credit authors of copyrighted material.

PARAPHRASING

NRL publications that contain paraphrased information must credit the source of information.

ROYALTIES

If the use of copyrighted material is in the best interest of the Government, the copyright owner must be contacted. Permission to reprint the material is often granted without charge. However, if a charge is required, the copyright owner must specify the amount and method of reimbursement. To make a royalty payment, a procurement request (stub requisition) is initiated, specifying the copyright owner as the suggested supplier. For further information about royalties, contact the Patent Counsel.

ADDITIONAL COPYRIGHT INFORMATION

The Publications Control Center of TID (Code 2630.1, x73508) provides assistance in matters of copyright, courtesy, and proprietary data, referring matters to the office of the Patent Counsel when necessary.

If you would like additional information on copyrights, you may write to the Copyright Office, Library of Congress, Washington DC 20559.

TRADEMARKS

A trademark is a word, phrase, or symbol that is used to identify a product. As such, it is the property of the firm using the mark in commerce. Marks for indicating a protected item include:

- TM — unregistered trademark
- SM — unregistered service mark (equivalent to a trademark except for services rather than goods)
- — trademark or service mark registered with the U.S. Patent Office

In NRL publications, it is not necessary to use these symbols if the trademark is capitalized. Some common trademarks used in NRL publications include:

Celanese (acetate/nylon/polyester/
rayon/triacetate)
Celluloid (thermoplastic)
Dictaphone (dictating machine)
Ditto (duplicators, copiers, supplies)
Energine (cleaning fluid)
Ethyl (antiknock compound)
Eveready (batteries)
Fiberglas (glass fibers)
Formica (laminated plastic)
Kodak (film and cameras)
Lucite (acrylic resin)
Masonite (hardboard products)
Nitonol

Plexiglas (acrylic plastic)
Pliobond (adhesive cement)
Pliofilm (moistureproof film)
Polaroid (photographic equipment)
Pyrex (heat-resistant glassware)
Styrofoam (plastic foam)
Teflon (Fluorocarbon resins)
Teletype (teletypewriter and
other equipment)
Thiokol (liquid polymers)
Univac (computers)
Videotape (recording tape)
Videotape (document reader)
Xerox (electrostatic copiers)

TRADEMARKS IN THE TEXT

Proper usage of trademarks requires that they be capitalized at all times. Use the trademark as an adjective, not a noun; the noun that follows the trademark is not capitalized, e.g., Ditto duplicator.

AVOIDING TRADEMARKS

Government specifications require that trademarks and trade names not be used unless a specific need is present. A generic term is one that describes a group or class of products. Generic terms have no trademark protection. Some examples of generic terms include:

camera
copier
fiber

hardness tester
oscilloscope
thermocouples

Further information about trademarks can be obtained by writing to:

Trademark Operations
Patent and Trademark Office
Washington, DC 20231

PERMISSION TO USE COPYRIGHTED MATERIAL
NDW-NRL 5870/2684 (S-77)

NRLINST 5870.1E
12 February 1980

Date: _____

From: Code _____

To: Code 2630.1

Subj: Permission to use copyrighted material; request for

1. The information required for preparation of subject request is given below.

a. Publisher: _____

Address: _____

b. Title of publication: _____

Year: _____

c. Article or chapter reference: Title: _____

Vol. no. _____ Pages _____ to _____. Material to be used: Figure or table numbers, page numbers: _____

d. If the journal requests that the authors be notified, please give authors' names and addresses:

e. To be used in NRL publication: _____

entitled: _____

Authors: _____

Number of copies to be printed: _____ Classification: _____

2. Two copies of the front matter of the original publication showing the copyright statement are attached. Also attached are two copies of the title page of the book or journal, the title page of the article, and of the pages containing the material to be reproduced.

Originator of Request

NOTES

NOTES

GREEK ALPHABET

Alpha	A	α	Iota	I	ι	Rho	P	ρ
Beta	B	β	Kappa	K	κ	Sigma	Σ	σ
Gamma	Γ	γ	Lambda	Λ	λ	Tau	T	τ
Delta	Δ	δ	Mu	M	μ	Upsilon	Y	υ
Epsilon	E	ϵ	Nu	N	ν	Phi	Φ	ϕ
Zeta	Z	ζ	Xi	Ξ	ξ	Chi	X	χ
Eta	H	η	Omicron	O	o	Psi	Ψ	ψ
Theta	Θ	θ	Pi	Π	π	Omega	Ω	ω

MATHEMATICAL SYMBOLS

=	equal to	\pm	plus or minus
\neq	not equal to	\propto	varies as
\approx	approximately equal to	∞	infinity
\equiv	identical with	∇	nabla
$\not\equiv$	not identically equal	\therefore	therefore
\Leftrightarrow	equivalent to	\because	since, because
$::$	equal to, in proportion	\dots	and so forth (in relation to sequence)
$<$	less than	$' '' '''$	prime, double prime, triple prime
$>$	greater than	$!$	factorial
\leq	less than or equal to	$ $	absolute value of quantity within the bars
\geq	greater than or equal to	\rightarrow	approaches the limit
\angle	angle	\int	integral sign
\perp	perpendicular to	Σ	sigma, summation
\parallel	parallel to	∂	curly d, partial differential
$\sqrt{\quad}$	radical sign, root	lim	limits of
\times or \cdot	multiplied by		
$:$ or $/$	ratio of, proportion		

SECTION 7

MATHEMATICAL EXPRESSIONS

GENERAL

Mathematical expressions that are directly reproduced (as in most NRL Memorandum Reports) must be typed. Most NRL branches, sections, or programs can produce typed mathematical expressions particularly if they have access to word processors with an equation capability and a dual printwheel printer. Those that do not should use rub-off sheets having preprinted numbers and symbols, or they can have TID's Computerized Technical Composition (CTC) section prepare the mathematics and text.

Any unusual symbols should be defined when first used, or included in a separate list. Make opening or closing parentheses, brackets, and braces the same height as the tallest expression they enclose. Separate the numerator from the denominator with a line as long as the longer of the two. Center both numerator and denominator on the line.

PLACEMENT

Indent or center displayed equations. Break multiple-line equations before an equal, plus, minus, or multiplication sign and keep whole terms intact, if possible. Align a group of separate but related equations by the equal signs, and indent or center the group as a whole. When possible, place short equations, which are not part of a series or are not identified by a number, in the text rather than on a separate line.

NUMBERING

Number equations that are part of a series, or that are referred to in the text, consecutively using Arabic numbers. When section or chapter numbers are used in a report, equation numbers may be preceded by the number of the section or chapter in which they appear. Enclose each equation number in parentheses at the right margin on the last line of the equation to which it refers. Number equations within appendixes by prefixing them with the appendix designation, e.g., A1, A2, ... B1, B2, ... etc.

SUBSCRIPTS AND SUPERSCRIPTS

Place subscripts and superscripts half a line below or half a line above the main line. If you have word processing with quarter line spacing capability, you may use quarter lines spacing as necessary to set up your equations. Place sub-subscripts half a line below subscripts. Examples:

- $N = (T/K_6)^2$
- $P_{N_0} = AK_1T$
- $P_{NO} + 2P_N/U = \gamma$

If a term has both a subscript and a superscript, place the superscript directly above the subscript. Example:

$$Z_1^2 = XYZ$$

If the superscript is a number but not a notation of power, enclose it in parentheses. Example:

$$Z^{(2)}$$

RELATION AND OPERATION SYMBOLS

Allow one space before and after a "relation" symbol ($=$, $<$, $>$, or any combination thereof) and before and after an "operation" symbol ($+$, $-$, \pm , \times , \cdot , or \div). When a fraction bar appears before or after an operation symbol, leave one space between the fraction bar and the symbol. Examples:

$$a \frac{x+y}{z} + b \frac{y+x}{x} + \frac{yz}{ac} (x+z) x \leq y \leq z$$

However, when a sign is an adjective describing a quality, it is closed up with the letter, number, etc., to which it applies. Example: $-a + -b = +c$

Do not leave space before or after operation and relation symbols in subscripts and superscripts, or above or below large Σ or Π , or in limits for integrals. Examples:

$$\bullet \quad I = ar^{n-1}$$

$$\bullet \quad e^{2x-y} = 2$$

$$\bullet \quad 5x^{2-3} = 5y^{-4}$$

$$\bullet \quad \sum_{i=1}^n p_i dx_i$$

$$\bullet \quad \int_{-3}^4 (25 - x^2)^{1/2} dx = 31.6$$

FUNCTIONS

Allow one space before and after logarithmic abbreviations (\log , \ln , \exp), trigonometric abbreviations (\sin , \cos , \tan , \cot , \sec , \csc), and hyperbolic abbreviations (\sinh , \cosh , \tanh , \coth , sech , csch). Examples:

$$x = a \sin \alpha$$

$$y = b \operatorname{sech} \beta - c \log z \exp (2\omega t - \xi)$$

$$y = b \ln z$$

Close up a differential symbol (d), a partial derivative symbol (∂), or a difference symbol (Δ), to the letter or expression to which it belongs. Leave a space before the differential when it follows a mathematical term or expression. Examples:

$$\bullet \quad d(\tan v) = \sec^2 v \, dv$$

$$\bullet \quad d(uv) = u \, dv + v \, du$$

$$\bullet \quad \frac{\partial^3 u}{\partial x^2 \partial y} = \frac{\partial}{\partial x} \frac{\partial^2 u}{\partial x \partial y}$$

$$\bullet \quad \Delta y = f(x) \Delta x$$

If the integral (\int) has limits, set the lower limit before the upper limit and have what follows clear the longer limit. Examples:

$$\int_0^{\pi/2} \sin^2 ax \, dx \qquad \int_{-\pi/2}^0 \sin^2 ax \, dx$$

GROUPING

The signs of grouping are pairs of parentheses (), brackets [], and braces { }. Both parts of a pair must be the same height, and they must be just high enough to enclose the highest and lowest parts of the material between them. Examples:

$$\left(3 + \frac{c^3}{a - x_{i_2} + y^2} \right) \left[1 - \frac{(x - y/d)^2}{z} \right]^2 U = S\{S[2(K_7Z - 1)] + K_4\}$$

Do not add any space between parenthetical expressions. Example:

$$(x + y)[a - c(b + d)]$$

FRACTIONS

In displayed material, the line separating the numerator from the denominator of a fraction must be exactly as long as the longer term; the shorter term must be centered with respect to the line. Examples:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$X_C = \frac{1}{2\pi fC}$$

In text, all simple fractions should be typed on one line of text, with the diagonal used in place of the horizontal line. If the numerator or denominator contains a plus sign or a minus sign, that half of the fraction should be enclosed in parentheses. If there is a mathematical term after the fraction, enclose the fraction in parentheses and place the term directly after the last parenthesis. Examples:

	<u>Displayed (optional)</u>	<u>In Text (required)</u>
Fraction alone:	$\frac{x}{y}$	x/y
	$\frac{x + y}{a}$	$(x + y)/a$
	$\frac{x}{y + z}$	$x/(y + z)$
	$\frac{y + x}{y + z}$	$(y + x)/(y + z)$
Letters before a fraction:	$a\frac{x}{y}$	ax/y or $a(x/y)$
	$a\frac{x + y}{z}$	$a(x + y)/z$
	$a\frac{x}{y + z}$	$ax/(y + z)$

	Displayed (optional)	In Text (required)
Letters before a fraction:	$(a + b) \frac{x}{y}$ $a \frac{2}{y}$	$(a + b)x/y$ $2a/y$
Letters after a fraction:	$a \frac{1}{x + y}$ $\frac{x}{y} a$ $\frac{x - y}{z} (a + b)$ $\frac{x}{y + z} (a + b)$	$a/(x + y)$ $(x/y) a$ or ax/y $[(x - y)/z] (a + b)$ or $(a + b)(x - y)/z$ $[x/(y + z)](a + b)$ or $x(a + b)/(y + z)$

Negative exponents may be used to eliminate fractions. Example:

$$D^{-1} \text{ for } \frac{1}{D}.$$

OTHER SYMBOLS

The radical sign ($\sqrt{\quad}$) must extend downward and to the right far enough to span the expression within. The main line within the radical sign must be even with the main line outside the sign. Example:

$$x + \sqrt{a - \frac{1}{x^2 + 3}} = 0$$

Fractional exponents may be used to eliminate radical signs. Example:

$$(1 - AB)^{1/2} \text{ for } \sqrt{1 - AB}.$$

For multiplication, use the centered dot (\cdot) or the multiplication sign (\times) rather than the letter X. Examples:

$$i \cdot i = j \cdot j = k \cdot k = 1 \qquad i \times i = j \times j = k \times k = 0$$

An ellipsis (three dots in a series), showing omission or continuation, should be on the line. Examples:

$$1/(1 - x) = 1 + x + x^2 + \dots \qquad \phi(z_1, z_2, \dots, z_n) = 0$$

For a large \sum or a large \prod , limits above and below the symbol should be centered and should be clear of preceding or following symbols. Examples:

$$x = \sum_{k=2(5b-3)}^{5b} (ka + b) \qquad \prod_{i=1}^{10} (3i - 2)$$

DISPLAYED SINGLE EQUATIONS

A single unnumbered equation should be centered as shown below. Double-space between the last line of the text and the topmost symbol in the equation and double-space between the bottommost symbol and the first line of the continued text. Example:

$$a = \frac{2 + x_1^2/b}{5} - \frac{7}{3 - x_2^2/c}$$

If an equation is numbered, the equation number, in parentheses, is placed just within the right-hand margin. Example:

$$3 + 5x + 2y - 4z + x^2 - 9y^2 + 2z^2 = 2ab \quad (1)$$

Always allow at least 1/2-inch between the equation and the equation number.

If an equation is too long to fit on one line, it should be broken approximately in half before an equal sign, a plus sign, or a minus sign. Example:

$$\begin{aligned} 5x + 2y - 4z + x^2 - 9y^2 + 2z^2 - 3x^3 - y^3 + z^3 \\ = a + 2b - 5c + 6a^2 - 3b^2 + 4c^2 - 3ab + 2cd - d \end{aligned}$$

For a numbered equation, the same rule applies; and the equation number is placed on the last line of the equation:

$$\begin{aligned} 5x + 2y - 4z + x^2 - 9y^2 + 2z^2 - 3x^3 - y^3 + z^3 \\ - x^4 + 2y^4 - 3z^4 = a + 2b - 5c + 6a^2 + bc \end{aligned} \quad (2)$$

If the equation has to be broken into more than two parts, each part should be at least half the width of the page but not more than three quarters of the width. The equation is broken before equal signs, plus signs, minus signs, multiplication signs, or division signs. Start the first part at paragraph indentation, and double-indent each succeeding part. Lines below an equal sign should be aligned to the right of the equal sign. If the equation is numbered, allow for the equation number to the right of the last part. Example:

$$\begin{aligned} \frac{5x - 4z}{a} + \frac{x - 3y + 5z}{b} - 6x + 3 + 4z \\ = \frac{3x - y + 3z}{a^2} - \frac{4x - 2y + 5z}{b^2} - 6 + 4x - 2y + 2z \\ + \frac{2x + 3y - 2z}{abc} \end{aligned} \quad (3)$$

When "where" comes after a displayed equation, put it flush left. Place the defining terms at paragraph indentation. Double-space between the "where" and the first defining term as well as between the terms. Examples:

$$V = \frac{\pi a}{3} (R^2 + r^2 + Rr),$$

where

V is the volume of the frustum of a right circular cone,

a is altitude,

R is the radius of the base, and

r is the radius of the top.

If the terms are defined by equations, the equations should also be started at paragraph indentation.

DISPLAYED SERIES OF EQUATIONS

If two or three equations in a series (no text in between) are short and do not have different equation numbers, they can all be put on one line; allow 1/2-inch between the equations, and center the series. Example:

$$x = \sin \theta, \quad y = \cos \theta, \quad z = \tan \theta$$

For longer equations, use a different line for each equation, starting each equation at paragraph indentation and placing commas. Example:

$$A_1 = 1 + b + z,$$

$$B = 3B + 10C,$$

and

$$C_{12} = 2B - 12D + 1.$$

Between displayed equations, a transitional word, such as "and," "or," "then," "hence," or "therefore," should be *flush left on a line by itself*.

EQUATIONS IN TEXT

In text, *do not break an equation* at the end of a line. If necessary, display the equation.

PUNCTUATION OF DISPLAYED EQUATIONS

When a displayed equation is part of a sentence, normal punctuation should be used. Examples:

In this case, let

$$P_{N_2} = (T/K_0)^2. \text{ (End of sentence)}$$

However, when

$$P_{N_2} = \sqrt{a + b}, \text{ (Comma separation)}$$

another variability is implied. In addition, if

$$P_{N_2} = \frac{\sqrt{c + d}}{e}, \text{ (Comma separation)}$$

where c and d are not finite and $e \dots$

The use of semicolons at the end of a displayed equation should be avoided by rephrasing the sentence preceding so that the equation completes the sentence.

LETTERS USED AS TERMS

When typing isolated single-letter terms (such as a , b , c) in text, the letter should be underscored to distinguish it as a mathematical term so it will be set in italic. Example:

If a were a parameter, then c would be \dots

Greek letters and mathematical or special symbols are not underscored.

EXPONENTS ON LINE

The exponent may be typed on line in parentheses or brackets after the abbreviation *exp*. Example:

$$\exp [-(a - bd_x^2)] \text{ for } e^{-(a - bd_x^2)}.$$

NOTES

SECTION 8

CLASSIFICATION MARKINGS

GENERAL

Classification marking guidelines in this section conform to *Executive Order 12356, National Security Information* and to *NRLINST 5510.40, NRL Security Manual* (which is the basic reference and guide for handling classified information and for the proper safeguarding of information).

These guidelines are written in concert with Code 1221 and are intended to provide originators of classified documents with the most recent procedures for security markings. Though the explanations here are extensive, it is impractical to try to include every situation. Therefore, consult the Publications Branch in cases of conflict or topics not covered. Note that if the report is unclassified, no markings are required.

Samples for markings are illustrated in Section 9, Samples.

EXECUTIVE ORDER 12356

Executive Order 12356 went into effect on August 1, 1982, making Executive Order 12065 invalid. The new Executive Order recognizes that it is essential that the public be informed concerning the activities of its Government, but that the interests of the United States and its citizens require that certain information concerning the national defense and foreign relations must be protected against unauthorized disclosure.

The 6- and 20-year declassification/review time limits of Executive Order 12065 have been eliminated, which means that original classification authorities will now classify information as long as required by national security considerations.

All classified material transmitted outside NRL must be properly marked and carry a classification authority line and declassification/downgrading notation.

MAJOR POINTS COVERED

Levels of Classification and Symbols

The overall security classification of each publication is determined by the highest classification of the material contained therein. This security classification shall be conspicuously marked or stamped at the top left and bottom right of the outside front cover and each interior right-hand (odd-numbered) page in capital letters in a type that is larger than that used in the text of the document. It shall also be so marked at the top right and bottom left of the outside rear cover and each interior left-hand (even-numbered) page.

In all classified documents, each section, part, paragraph, subparagraph, illustration, table, heading, caption, etc., shall be marked to reflect its own classification or the fact that it is unclassified.

The symbols (TS) for top secret, (S) for secret, (C) for confidential, and (U) for unclassified are used. When appropriate for classified paragraphs, the symbols (RD) for restricted data and (FRD) for formerly restricted data shall be added. When a paragraph also contains critical nuclear weapons design information (CNWDI), the markings are shown as (S-RD)(N), for secret-restricted data (nuclear).

Classified foreign government information incorporated into NRL documents will be identified by a marking on the cover or first page with the notation "THIS DOCUMENT CONTAINS FOREIGN GOVERNMENT INFORMATION." Specific portions of such documents will be appropriately identified, for example: (UK-C), (CAN-S), (AUS-C), indicating United Kingdom, Confidential; Canada, Secret; or Australia, Confidential.

NATO Information

Any NRL document containing NATO information must include a statement, on the cover or first page, "THIS DOCUMENT CONTAINS NATO INFORMATION." Each paragraph which contains NATO information must be individually marked, e.g. (NATO-S) or (NATO-C). The "classified by" lines are the same as for U.S. documents with foreign government information.

Classifying Authority and Statements

The "Review on" provision will no longer be used. Where source material or classification guides show that specific information is to be reviewed for downgrading/declassification at some future time, the term "Originating Agency Determination Required" or "OADR" will be shown following the "Declassify on:" line. This term will be used unless a specific downgrading or declassification date or event can be determined.

FRONT MATTER

Cover

Classification

The outside front and back covers are marked, top and bottom, with the overall classification of the publication. Inside covers shall not contain classification markings if they are otherwise free of printed matter.

Number Printed

On top secret and secret documents, TID shall include the total number of copies printed and the particular copy number assigned to the document.

Title

The cover title shall ALWAYS be unclassified and shall be marked with the appropriate symbol (U).

Classification Authority and Declassification Information

Each classified document shall show on its face: the office of origin, the classification authority, the date of preparation, date of classification, and a specific date for declassification or Originating Agency Determination Required (OADR).

Distribution Statements

Managers and performers of research, development, test, and evaluation (RDT&E) are responsible for assigning an appropriate distribution statement to each scientific and technical information (STI) document. This statement enables DoD components, including the Defense Technical Information Center (DTIC), to properly provide their products and services to authorized STI users.

The following distribution statements are authorized for use on DoD technical documents:

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

- a. This statement may be used only on unclassified documents that have been cleared for public release by competent authority in accordance with DoD 5230.9.
- b. Documents with this statement may be made available or sold to the public including foreign nationals, companies, and governments, and may be exported without a license.
- c. This statement may never be used on technical documents that formerly were classified, without a positive determination of such releasability by the DoD controlling office prior to release.
- d. THIS STATEMENT SHALL NOT BE USED ON CLASSIFIED DOCUMENTS.

DISTRIBUTION STATEMENT B: Distribution limited to U.S. Government agencies only; (fill in reason) (date). Other requests for this document must be referred to (insert controlling DoD office).

- a. This statement may be used on unclassified documents, or on classified documents if necessary to ensure distribution limitation in addition to need-to-know requirements imposed by DoD 5200.1-R, or in the event the document is declassified.

b. Reasons for imposing Distribution Statement B include:

Foreign Government
Information

To protect and limit distribution in accordance with the desires of the foreign government that furnished the technical information. Information of this type is normally classified at the CONFIDENTIAL level or higher in accordance with DoD 5200.1-R.

Proprietary Information

To protect information not owned by the U.S. Government and not protected by a contractor's "limited rights" statement, but received with the understanding that it may not be transmitted outside the U.S. Government.

Test and Evaluation

To protect results of test and evaluation of commercial products or military hardware, when such disclosure may cause unfair advantage or disadvantage to the manufacturer of the product.

Contractor Performance
Evaluation

To protect information in management reviews, records of contract performance evaluation, or other advisory documents evaluating programs of contractors.

Export Limitations

Document contains information that may be released to foreign nationals by U.S. Government agencies only when approved by competent authority, or contains information that would require an export license if foreign release is intended.

Administrative/Operational
Use

To protect technical or operations data or information from automatic dissemination under the International Exchange Program or by other means. This includes publications required solely for official use or strictly for administrative or operational purposes. This statement may be applied to manuals, pamphlets, technical orders, technical reports, and other publications containing valuable technical or operational data.

DISTRIBUTION STATEMENT B: (Continued)

Software Documentation	Release only in accordance with the provisions of DoD Instruction 7930.2.
Specific Authority	To protect information not specifically included in the above reasons and discussions, but which requires protection pursuant to valid documented authority such as Executive Orders, classification guidelines, Export Administration Regulation (EAR), International Traffic in Arms Regulations (ITAR), DoD or DoD Component regulations or policy guidance. When filling in the reason, cite "Specific Authority (identification of valid documented authority)."

DISTRIBUTION STATEMENT C: Distribution limited to U.S. Government agencies and their contractors; (fill in reason) (date). Other requests for this document shall be referred to (insert controlling DoD office).

a. May be used on unclassified documents, or on classified documents if necessary to ensure distribution limitations in addition to need-to-know requirements imposed by DoD 5200.1-R, or in the event the document is declassified.

b. Reasons for imposing Distribution Statement C include:

Critical Technology	To protect information and technical data which advance the state-of-the art or describe new technology in an area of significant or potentially significant military application, or relates to a specific military deficiency of a potential adversary. This control on critical technology will allow early dissemination to the U.S. Government and its domestic contractors in a manner that will ensure compliance with the International Traffic in Arms Regulations (ITAR) and Export Administration Regulations (EAR).
---------------------	---

Administrative/Operational Use	Same as under Distribution Statement B.
--------------------------------	---

Specific Authority	Same as under Distribution Statement B.
--------------------	---

DISTRIBUTION STATEMENT D: Distribution limited to DoD and DoD contractors only; (fill in reason) (date). Other requests shall be referred to (insert controlling DoD office).

a. May be used on unclassified documents, or on classified documents if necessary to ensure distribution limitation in addition to need-to-know requirements imposed by DoD 5200.1-R, or in the event the document is declassified.

b. Reasons for imposing Distribution Statement D include:

Premature Dissemination	To protect information on system or hardware in the developmental or concept stage, which must be protected to prevent premature dissemination.
-------------------------	---

Software Documentation	Same as under Distribution Statement B.
------------------------	---

Critical Technology	Same as under Distribution Statement C.
---------------------	---

Specific Authority	Same as under Distribution Statement B.
--------------------	---

DISTRIBUTION STATEMENT E: Distribution limited to DoD Components only; (fill in reason) (date). Other requests must be referred to (insert controlling DoD office).

a. May be used on unclassified documents, or on classified documents if necessary to ensure DoD distribution limitation in addition to need-to-know requirements imposed by DoD 5200.1-R, or in the event the document is declassified.

b. Reasons for imposing Distribution Statement E include:

Foreign Government Information Same as under Distribution Statement B.

Premature Dissemination Same as under Distribution Statement D.

Software Documentation Same as under Distribution Statement B.

Critical Technology Same as under Distribution Statement C.

Specific Authority Same as under Distribution Statement B.

DISTRIBUTION STATEMENT F: Further dissemination only as directed by (insert controlling DoD office) (date) or higher DoD authority.

a. Normally used only on classified documents, but may be used on unclassified documents when specific authority exists.

b. Distribution Statement F is used when the DoD originator determines that information is subject to special dissemination limitation specified by paragraph 4-505, DoD 5200.1-R.

c. When a classified document assigned Distribution Statement F is declassified, the statement shall be retained until the controlling DoD office assigns the proper distribution statement from this interim policy.

In addition to the distribution statement, the following notice(s) may be used on all documents assigned Distribution Statement B, C, D, E, or F.

WARNING

INFORMATION SUBJECT TO EXPORT CONTROL LAWS

This document may contain information subject to the International Traffic in Arms Regulation (ITAR) or the Export Administration Regulation (EAR) of 1979 which may not be exported, released, or disclosed to foreign nationals inside or outside the United States without first obtaining an export license. A violation of the ITAR or EAR may be subject to a penalty of up to 10 years imprisonment and a fine of \$100,000,000 under 22 U.S.C. 2778 or Section 2410 of the Export Administration Act of 1979. Include this notice with any reproduced portion of this document.

DESTRUCTION NOTICE

For classified documents, follow the procedures in DoD 5200.1-R, Chapter IX or DoD 5220.22-M, "Industrial Security Manual," paragraph 19. For unclassified documents, destroy by any method which precludes reconstruction of the document.

CONTRACTOR-IMPOSED DISTRIBUTION STATEMENTS

Section IX of the Defense Acquisition Regulations (DAR) stipulates control procedures for contractor-controlled technical information in which the Government has limited rights. In this case, the approved statement in the DAR must appear on all copies of each document. Unmarked or improperly marked technical documents supplied by a contractor will be handled pursuant to the DAR. Limited rights information will be assigned Distribution Statement B.

The limited rights statement shall remain in effect until changed or cancelled under contract terms or with the permission of the contractor, and until the controlling DoD office notifies recipients of the document that the statement may be changed or cancelled. Upon cancellation of the statement, the distribution, disclosure, or release of the technical document will then be controlled by its security classification, or, if unclassified, by the appropriate statement selected from those authorized for use on DoD technical documents.

DD Form 1473 — Report Documentation Page

The overall classification of the document (if classified) is indicated in the upper left corner and the lower right corner of the DD Form 1473. The page classification (if classified) shall be indicated on the line provided.

In a classified document, even if the DD Form 1473 is unclassified, paragraphs within the unclassified abstract are always marked (U).

Classification symbols follow title and subtitle of classified publications (although, in most instances, these shall be unclassified).

On classified documents, when there is no continuation onto the other side of the DD Form 1473, notation should be stated at the bottom below the page number ("Page ii blank").

If possible, the abstract of a classified report should be unclassified, and the abstract of an unclassified report should consist of information releasable to the public. Each paragraph of the abstract is preceded by the proper classification symbol in parentheses if the overall classification of the document is confidential or higher.

Foreword and Preface

Forewords and prefaces are not often used in NRL publications. Should one or the other be used in a classified publication, the classification symbol of the heading must follow the centered heading, and each subsequent paragraph must be preceded by its appropriate classification symbol. Remember, the classification of the heading is *not* indicative of the overall classification of the material that follows.

Contents

The centered heading for Contents in classified publications is followed by its classification symbol: CONTENTS (U).

The caption or heading in the body of the Contents containing classified material is followed in the listing by the appropriate classification symbol.

If there is an unclassified appendix in a classified document, this is indicated as follows:

APPENDIX A — An Alternate Preamplifier Approach
(This Appendix Is Unclassified)9

Lists of Figures and Tables

In classified reports, figure captions or table titles appearing in lists of figures and tables are marked with a classification symbol following the entry.

Page Classification

The overall classification of NRL Reports shall be displayed at the upper left and lower right corners of odd-numbered pages and at the upper right and lower left corners of even-numbered pages. TID will apply these markings.

The overall classification of Memorandum Reports shall be displayed at the upper left and lower right corners on all pages.

Blank Pages

Blank sheets (blank both front and back) are not used. When any major division or distinctive section or part of a classified publication concludes on the front side (right-hand side) of a sheet, the back of the page (left-hand side) will be left blank so the next major part can begin on a right-hand page. The printed front page will contain the following notation at the bottom center of the page beneath the page number to indicate that the next page is blank.

page number →
(Page Blank)

Right-hand-side foldouts bear the classification (top and bottom) and the page number. Under the page number appears the notation "(Page Blank)." The reverse side of foldouts is always blank.

BODY

Headings

Every heading in a classified report is marked by placing the appropriate classification symbol in parentheses as indicated in Table 1.

Remember, headings are marked according to their own classification and do not reflect the overall classification of the material that follows. Once a heading is identified by some means, it becomes a *paragraph* for marking purposes. This is true even for such obviously unclassified headings as: INTRODUCTION (U), SECTION 1 (U), and Appendix A (U).

Run-in headings are not regarded as part of the paragraph and carry their own classification. Thus, the classification symbol for the main paragraph thought is placed in parentheses before the paragraph text (as shown in Table 1).

Text Listings

When a paragraph introduces a list of items, all having the same classification, the individual items listed are not marked. However, when individual items in a listing are complete thoughts and have different classifications, each item is individually marked, preceding the item.

Table 1 — Security Marking of Headings

Level	Acronym	Meaning	Example
1	CAC	Center, All Caps	DESIGN MANUAL FOR TRANSDUCERS (U)
	CIC	Center, Initial Caps	Section I. Basic Theory (U)
1	FLAC (bold)	Flush left, all caps, bold	(U) INTRODUCTION
2	FLIC (bold)	Flush left, initial caps, bold	(U) Test Program Details
3	FLIC (Italic)	Flush left, initial caps, Italic	(U) Solar Heaters
4	IIC* (bold)	Indent, initial caps, bold	(U) Passive Type
5	IICRI* (Italic)	Indent, initial caps, run in with text, Italic	(U) Masonry Walls — (U) Run in with paragraph and ...
6	IRI* (Italic)	Indent, initial cap first word only, run in with text, Italic	(U) Brick walls — (U) Run in with paragraph and ...

*These acronyms are not commonly used in editing or graphic services because head levels infrequently subdivide down to these levels.

Running Heads

Each page of an NRL Report, except the front and rear covers and the DD Form 1473, is given a running head to identify that page with the report. Normally, in reports, the right-hand page contains the report number and the left-hand page contains the surnames of the author or authors. These are affixed by TID and are given no classification marking.

Paragraphs

The classification of each paragraph of a classified publication is marked at the beginning of the paragraph. The appropriate symbol — (U), (C), or (S) — is set at the normal paragraph indentation and is followed by one space and the first word of the text.

In a classified report, when a paragraph is continued on a new page, the first line of the new page shall carry a classification statement for the continued paragraph. For example,

((C) paragraph continues)

The classification statement is on the first line, the text follows on the next line and continues...

In a classified report, each numbered paragraph carries the classification symbol after the number.

The lead-in paragraph that introduces numbered or lettered subparagraphs is preceded by the symbol representing the highest classification of the lead-in paragraph plus the subparagraphs.

Footnotes

Footnotes, except for references, are preceded by the appropriate classification symbol. If a footnote runs over to the next page, the classification symbol is repeated on the new page before the text is continued.

Figures, Tables, Charts, and Graphs

For figures and tables in classified publications, the classification of the caption as well as the figure or table is shown. This procedure is followed even though the classification of the caption and the figure or table are the same; however, effort should be made to keep the caption unclassified.

The figure or table caption is marked immediately following the figure or table number. Examples:

Fig. 1 — (U) The exact potential energy curves of the H_2^+ quasimolecule

Table 12 — (U) Control Capabilities of "C" Processor Software

The classification of the figure or table itself appears in capital letters centered below the figure or table. (The classification of a figure may appear within the figure itself, if this presents a balanced appearance.)

Text Tables

A text table is used to introduce simple tabular matter directly into the discussion; it is not numbered and it is not referenced elsewhere in the text. In a classified publication, the text table and the paragraph that introduces it are considered a single unit and the classification symbol is shown only at the beginning of the paragraph.

CONCLUDING MATTER

Acknowledgments

It is a rare circumstance when it becomes necessary to publish a classified acknowledgment. However, in a classified document, each entry on the contents page must be marked with the appropriate classification symbol (U) following the entry. Furthermore, each paragraph in the acknowledgment must be marked with its classification symbol.

References and Bibliographies

In a classified publication, the heading of the listing itself is (U) References or (U) Bibliography. Each individual entry must be numbered. Unclassified entries are not marked. The classification of the title itself of the classified entry is marked immediately following the title as (S), (C), (U), etc. The classification of the reference itself is indicated in initial cap style, preceding the final entry on the listing (the date). Example:

3. C. E. Landwehr, "Best Available Technologies for Computer Security (U)," NRL Report 8554 (Secret), Dec. 1981.

Classified documents are *not* to be included in reference lists (or bibliographies) in publications bearing Distribution Statement A.

Glossary

In a classified publication, the classification of the glossary must be shown. When all items in the list are of the same classification, a symbol precedes the heading to indicate the classification; the symbol following the heading is the classification of the heading itself, thus:

(C) GLOSSARY (U)

Distribution Lists

Distribution lists are unclassified and are normally not printed as part of the publication. For the exception where the list is published with the report, the list is numbered consecutively with the report and begins on a right-hand page. The pages are given the overall classification of the report. The heading is marked: DISTRIBUTION LIST (U).

Appendixes (Unclassified)

Unclassified appendixes to classified documents may be printed as separate documents if desired; page and item classification markings are omitted in this case. However, almost all appendixes are bound in the parent document and, having been bound together, remain together. Thus, an unclassified appendix in a classified document must bear page security markings reflecting the highest security classification used in the document. If the appendixes are unclassified, they must begin on a right-hand page and a statement is placed at the top of the first page in parentheses that states: (This Appendix Is Unclassified). Also, the Contents page shall be marked to indicate the appropriate classification of an unclassified appendix.

UNCLASSIFIED MATERIAL

Normally, unclassified documents shall not be marked or stamped "Unclassified." Exceptions include instances when it would be essential to state that such material has been examined with a view to imposing a security classification and it has been determined that classification is not required. Example:

(This Page Is Unclassified)

NOTES

NOTES

SECTION 9

SAMPLES


Sample 1	NRL Report Covers	9-1
Sample 2	Page layout for memorandum report using TID-supplied typing guide	9-2
Sample 3	Contents page	9-3
Sample 4	Listing of Figures, Tables	9-4
Sample 5	Figures	9-5
Sample 6	Tables	9-6
Sample 7	Methods of displaying callouts	9-7
Sample 8	Appendix (Unclassified in Classified Publication)	9-7
Sample 9	Distribution List	9-8

NRL Report 0000

Nitrogen Trifluoride Combustion and Suppression

J. R. WYATT AND J. J. DECORPO
*Chemical Diagnostics Branch
Chemistry Division*

October 7, 1981



NAVAL RESEARCH LABORATORY
Washington, D.C.

Approved for public release; distribution unlimited

NRL Report


NRL Memorandum Report 0000

**The Smoke Hazards Resulting From the Burning of
Shipboard Materials Used by the U.S. Navy**

B. T. ZINN, R. F. BROWNER, AND R. O. GARDNER
*Georgia Institute of Technology
School of Aerospace Engineering
Atlanta, Georgia*

July 22, 1980

The report was prepared by Georgia Institute of Technology, School of Aerospace Engineering
under Contract N00014-79-4-0771 for the Commanding Officer, Naval Research Laboratory.



NAVAL RESEARCH LABORATORY
Washington, D.C.

Dissemination limited to U.S. Government Agencies only; test and evaluation. July 1980. Other requests
for this document must be referred to the Commanding Officer, Naval Research Laboratory, Washing-
ton, D.C. 20375

NRL Memorandum Report


Unclassified Reports

CONFIDENTIAL NRL Report 0000

**Preliminary Study of Rejecting
Targetlike Interference in Radar (U)**

B. H. CANTRELL
*Radar Analysis Branch
Radar Division*

May 11, 1981



NAVAL RESEARCH LABORATORY
Washington, D.C.

NOT BE RELEASED BY OPNAVINST 5513.5002
Dissemination and Classification Agency Determination Required

CONFIDENTIAL

Dissemination limited to U.S. Government Agencies only; test and evaluation. May 1981. Other requests
for this document must be referred to the Commanding Officer, Naval Research Laboratory, Washing-
ton, D.C. 20375

NRL Report


SECRET NRL Memorandum Report 0000
Copy of Copies

**Stability Properties of Azimuthally Symmetric
Perturbations in an Intense Electron Beam (U)**

M. L. LAMPE AND H. S. UHM*
*Plasma Theory Branch
Plasma Physics Division
*Naval Surface Weapons Center
White Oak, Silver Spring, MD 20910*

February 3, 1981

Sponsored by
Defense Advanced Research Projects Agency (DARPA)
NRP's Under No. 1718
Monitored by C. M. Huddleston Under Contract N00014-80-1-0000



NAVAL RESEARCH LABORATORY
Washington, D.C.

SECRET Classified by (OPNAVINST 5513.5002)
Dissemination and Classification Agency Determination Required

SECRET

NRL Memorandum Report

Classified Reports

Sample 1 — NRL Report Covers

on first page
type into of
page here

TITLE, CENTERED, ALL CAPS
Subtitle, Centered, Initial Caps

BACKGROUND

Only the title appears on the first page preceding the text. No classification markings are required on unclassified reports. Text is prepared single-spaced unless double-spacing presents a more balanced appearance. Double-spacing is used between paragraphs and sections.

Further Information

Footnotes to text are typed at the bottom of the page to which they are keyed.^a Page layout should be planned so that the last line of the footnote will fall on the guideline at the bottom of the page.

^a Footnote cutoff rule, 12 spaces long, is made at least one line below the text and flush left. The first footnote begins on the second line below rule.

+

All Unclassified
pages start here
after first page

on unclassified reports, begin all pages after the first page on this line.

No text is to extend below this line.

(Please page number last page)

+

Unclassified

SECRET

on first page
type into of
page here

TITLE, CENTERED, ALL CAPS (U)
Subtitle, Centered, Initial Caps (U)

(U) **INTRODUCTION**

(U) The classification of each paragraph in a classified publication is marked at the beginning of the paragraph. The appropriate symbol, (S), (C), or (U), is set at the normal paragraph indentation (five spaces) and is followed by one space and the first word of the text.

(U) A numbered paragraph carries the classification symbol after the number. When a paragraph introduces a list of items, all having the same classification, the individual items listed are not marked. Thus,

- Separate,
- Same classification,
- Individual listings.

are not individually marked. However, when individual items in a listing are complete thoughts and have different classifications, each item is individually marked. For example:

- (U) This publication is useful.
- (C) It is meant to show how to mark classified items.
- (S) When you follow the guide, you will efficiently present material.

(U) **Second-Order Headings**

(U) Second-order headings are typed with initial caps.

(U) **Third-Order Headings**

(U) Third-order headings are typed with initial caps and are underlined or prepared with italics if you have this capability.

(U) Headings are marked according to their own classification and do not reflect the overall classification of the material that follows. Once a heading is identified by some means, it becomes a paragraph for marking purposes. This is true even for such obviously unclassified headings as: (U) INTRODUCTION, (U) CONTENTS, or (U) RESULTS. Paragraphs in classified

No typed text is to extend below this line.

SECRET

+

SECRET

All Classified
pages start here
after first page

((U) paragraph continues)
Reports that carry over to the next page will be marked as indicated above, depending on the classification of the continued paragraph.

(U) Footnotes^a to text are typed at the bottom of the page to which they are keyed. Page layout should be planned so that the last line of the footnote will fall on the guideline at the bottom of the page. A footnote cutoff rule, 12 spaces long, is made at least one line below the text and flush left. The first footnote begins on the second line below the rule.

^a(U) Footnotes, except for references, are preceded by the appropriate classification symbol.

(Please page number last page)

SECRET

+

Classified
Sample 2 — Page layout for Memorandum Report
using Typing Guide

CONTENTS

INTRODUCTION	1
THE NUMERICAL METHOD	2
RESULTS AND DISCUSSION	5
Numerical Results and Comparison With Theory	6
Uniform Depth Channel	6
Low Reflection Wave Flow over a Half-Cylinder	9
High Reflection Wave Flow over a Half-Cylinder	14
Comparison With Experimental Data	22
Low Reflection Case	24
High Reflection Case	24
SUMMARY AND CONCLUSIONS	25
ACKNOWLEDGMENTS	26
REFERENCES	26
APPENDIX A — Numerical Methods and Algorithms for Triangular, Lagrangian Grids	64
APPENDIX B — Wave Induced Fluid Particle Motions	86
APPENDIX C — Experimental Equipment and Methods	89

UNCLASSIFIED PUBLICATION

CLASSIFICATION

CONTENTS (U)

DD 1473 (U)	i
INTRODUCTION (U)	1
BACKGROUND OF THE CURRENT THEORY FOR SELF-SUSTAINED STRIATIONS (S)	3
THE NEW THEORY BASED ON AN OPEN-LOOP MECHANISM FOR SUSTAINING STRIATIONS (C)	6
INTERPRETING STRIATIONS VIA A STEADY-STATE MATHEMATICAL MODEL FOR THE POSITIVE COLUMNS (S)	10
THE DERIVATION OF THE STEADY-STATE MATHEMATICAL MODEL FOR THE POSITIVE COLUMN (U)	13
USING THE MATHEMATICAL MODEL TO PREDICT STRIATION PROPERTIES (U)	32
USING THE MATHEMATICAL MODEL TO PREDICT STRIATION PROPERTIES (U)	32
PREDICTING AND COMPARING WITH EXPERIMENT THE THRESHOLD PRESSURES AND CURRENTS AND THE PROPERTIES OF THE p , r , AND s STRIATION VARIETIES IN NEON (U)	37
PREDICTING AND COMPARING WITH EXPERIMENT THE PROPERTIES OF ARGON AND HELIUM (C)	53
PREDICTING AND COMPARING WITH EXPERIMENT THE CHARACTERISTICS OF STRIATION FREQUENCY SPECTRA (C)	56
APPENDIX A — Phasor Notation and Phasor Arithmetic, Calculus, and Transfer Functions (This Appendix is Unclassified)	65
APPENDIX B — Striations in RF Excited Positive Columns (S)	69
APPENDIX C — Experimental Technique and Apparatus for the Measurement of Striation Parameters (S)	73
APPENDIX D — Experimental Results (S)	80

CLASSIFIED PUBLICATION



CLASSIFICATION

Sample 3 — Contents page

FIGURES (U)		
Fig.		Page No.
1	(U) The aerosol concentrator	2
2	(U) Schematic of aerosol concentrator	4
3	(U) Assembly drawing of the aerosol concentrator	5
4	(U) The exhaust end plate	7
5	(U) The short filler ring	8
6	(U) The outer housing	9
7	(U) The porous filter	10
8	(U) The rotating-filter shaft	11
9	(U) The long filler ring	13
10	(U) The intake end plate	14
11	(U) The intake manifold	16
12	(U) The shaft bearing	18
13	(U) The exhaust manifold	18
14	(U) The motor mount	20



TABLES (U)		
Table		Page No.
1	(U) Summary of ships sampled	17
2	(U) Analyses of fuel tank sludge, DD-976 (Port Banks)	19
3	(U) Analyses of fuel tank sludge, DD-976	
4	(U) Analyses of fuels and filter, DD-972	25
5	(U) Analyses of fuel and tank surface, DD-972	28
6	(U) Analyses of filters and fuel tank sludge, DD-986	30
7	(U) Analyses of fuel tank sludge, DD-992	31
8	(U) Analyses of fuel tank sludge, DD-965	35
9	(U) Analyses of fuel tank sludge, DD-969	37
10	(U) Analyses of fuel tank sludge, DD-968 (Port Banks)	38
11	(U) Analyses of fuel tank sludge, DD-968 (Starboard Banks)	39
12	(U) Microorganisms most frequently found in sludges from fuel storage tanks on DD-963 class ships	41
13	(U) Summary of microbiological characteristics of fuel tank sludges associated with differences in aqueous pH	45
14	(U) Analyses of dockside water samples	48
15	(U) Microbial growth from sludge inocula in diesel/ seawater media (enrichment cultures)	

Sample 4 — Listing of Figures, Tables



(Showing sideways position on a page)

Unclassified figures



(Showing sideways position on a page)

Classified figures

Sample 5 - Figures

Table 3--Smoothed Wind Speeds and Directions Measured Aboard USNS LYNCH During the Drogue Experiment

Date (Julian Day)	Time (Universal Time)	Speed (kt)	Direction (Degree)
290	1900	16.56	37.04
	2100	17.07	36.18
	2300	17.20	40.65
261	0100	16.82	49.19
	0300	16.31	58.10
	0500	16.00	64.27
	0700	15.44	67.77
	0900	14.47	71.51
	1100	12.85	78.71
	1300	11.16	90.23
	1500	10.41	100.79
	1700	9.79	108.29
	1900	8.64	118.75
	2100	7.64	131.12
	2300	7.17	132.94

Table 10 - Sample Weight Loss and Smoke Concentration Data for Hydraulic Fluid

Mode	Ventilation Air Temperature (°C)	Peak Mass Loss Rate (mg/cm ² -s)	Peak Volume Fraction* (ppm)	Total Particulate Volume* (cm ³)	$\frac{\Gamma}{\Gamma_{25}}$
Nonflaming†	25	0.14	0.83	0.32	-
Flaming	25	5.6	4.54	3.61	1.00
Flaming	100	9.8	4.11	2.60	0.72
Flaming	300	11.1	5.58	2.68	0.74

*Based on $m_p = 1.50 - 0.01$ for nonflaming combustion and $m_p = 1.57 - 0.56$ for flaming combustion at a standard flow rate of 425 l/min.
†During the initial nonflaming phase, spontaneous ignition occurred 5.9 minutes after initiation of exposure.

Unclassified Table

CLASSIFICATION

Table 3 - (U) Smoothed Wind Speeds and Directions Measured Aboard USNS LYNCH During the Drogue Experiment

Date (Julian Day)	Time (Universal Time)	Speed (kt)	Direction (Degree)
290	1900	16.56	37.04
	2100	17.07	36.18
	2300	17.20	40.65
261	0100	16.82	49.19
	0300	16.31	58.10
	0500	16.00	64.27
	0700	15.44	67.77
	0900	14.47	71.51
	1100	12.85	78.71
	1300	11.16	90.23
	1500	10.41	100.79
	1700	9.79	108.29
	1900	8.64	118.75
	2100	7.64	131.12
	2300	7.17	132.94

CLASSIFICATION

CLASSIFICATION

CLASSIFICATION

Table 10 - (U) Sample Weight Loss and Smoke Concentration Data for Hydraulic Fluid



Mode	Ventilation Air Temperature (°C)	Peak Mass Loss Rate (mg/cm ² -s)	Peak Volume Fraction* (ppm)	Total Particulate Volume* (cm ³)	$\frac{\Gamma}{\Gamma_{25}}$
Nonflaming†	25	0.14	0.83	0.32	-
Flaming	25	5.6	4.54	3.61	1.00
Flaming	100	9.8	4.11	2.60	0.72
Flaming	300	11.1	5.58	2.68	0.74

*Based on $m_p = 1.50 - 0.01$ for nonflaming combustion and $m_p = 1.57 - 0.56$ for flaming combustion at a standard flow rate of 425 l/min.
†During the initial nonflaming phase, spontaneous ignition occurred 5.9 minutes after initiation of exposure.

CLASSIFICATION

CLASSIFICATION

Classified Table
Sample 6 - Tables



Sample 7 - Methods of displaying callouts

SECRET

(This Appendix is Unclassified)

Appendix A

DERIVATIVES OF THE UNPERTURBED POTENTIAL

We must obtain the partial derivatives of the unperturbed potential $V_0(r, \theta)$ pertaining to hydrostatic equilibrium with respect to both variables r and θ . For this purpose, we refer to formula (27) in Ref. A1, in which reference the said potential was determined in terms of the mean radius a which characterizes an equipotential surface. More specifically, let

$$r = a[1 + qf_{21}(a)P_2(\cos \theta)] + \dots \quad (A1)$$

be the equation of an equipotential surface to first-order terms in the rotational parameter

$$q = \frac{\omega^2 a_1^2}{3Gm_1} = \frac{\omega^2}{4\pi G \bar{\rho}_0(a_1)} \quad (A2)$$

where a_1 is the mean radius of the outermost surface and where the nondimensional function f_{21} , a solution of the Clairaut equation, represents the spheroidal deformation. In Ref. A1 the potential $V_0(r, \theta)$ was determined along an equipotential surface $r(a, \theta)$ as a function of a :

$$V_0[r(a, \theta); \theta] = \psi_0(a). \quad (A3)$$

We use this function $\psi_0(a)$ to calculate the required derivatives. This can be achieved most expeditiously by recalling a well-known expansion theorem due to Lagrange (see, for example, Ref. A2), which states: if the variables s and r are implicitly related according to the relation

$$s = r + q\phi(a),$$

then

$$F(a) = F(r) + q\phi(r) \frac{\partial F(r)}{\partial r} + \dots, \quad (A4)$$

where F stands for a generic function. Equation (A1) reveals that

$$\phi(a) = -af_{21}(a)P_2(\cos \theta), \quad (A5)$$

and this leads to

$$\begin{aligned} \psi_0(a) &= \psi_0(r) + q[-rf_{21}(a)P_2(\cos \theta)] \frac{\partial \psi_0}{\partial r} + \dots \\ &= 4\pi G \left[\frac{1}{3} r^2 \bar{\rho}_0(r) + \int_r^{\infty} \rho_0(r) r dr \right] \\ &\quad + \frac{1}{3} \omega^2 r^2 A^2(r) P_2(\cos \theta) + \frac{1}{3} \omega^2 r^2 + \dots \end{aligned} \quad (A6)$$

Sample 8 - Appendix (Unclassified in Classified Publication)

NRL Memorandum Report _____
"Start-Up of a Pulsed Beam Free Electron Laser (FEL) Oscillator"
Authors: P. Sprangle, C. M. Tang and Ira B. Bernstein
Code 4790

Code 1221 approval: _____

(date)

Total number of copies: _____

DISTRIBUTION LIST

No. of
Copies

No. of
Copies

1 Dr. W. Becker
Office of Naval Research
1030 E. Green
Pasadena, CA 91106

1 Lt Col Rettig P. Benedict, Jr., USAF
DARPA/STO
1400 Wilson Boulevard
Arlington, VA 22209

2 Dr. Charles Brau
Applied Photochemistry Division
Los Alamos National Laboratory
P.O. Box 808
Los Alamos, NM 87545

6 Dr. Gregory Canavan
Director, Office of Inertial Fusion
U.S. Department of Energy
M.S. C404
Washington, D.C. 20545

3 Dr. Fred Burskirk
Physics Department
Naval Postgraduate School
Monterey, CA 93940

1 Dr. Maria Caponi
TRW, Building R-1, Room 1070
One Space Park
Redondo Beach, CA 90278

2 Dr. Luis R. Elias
Dr. William Colson
Quantum Institute
Univ. of California at Santa Barbara
Santa Barbara, CA 93106

NRL Codes

No. of
Copies

3 4700 (S. Ossakow, S. Hayes, A. Robson)
3 4790 (P. Sprangle, M. Tang, M. Lempe, W. Manheimer)
2 6650 (L. Cohen)
1 6875 (R. Wagner)

Sample 9 — Distribution List

NOTES

NOTES

CHECKLIST FOR SUBMISSION OF REPORTS TO BE PUBLISHED

Route Sheet

Publication Approval Form, NDW-NRL 5213/2658, be sure author has initialed

Report Documentation Form, DD 1473, completely filled out

Complete report - including

Contents page

All references

All referenced figures

All tables complete

All appendixes

Separate figure and table caption list

Complete distribution list for internal and external distribution

For internal distribution, codes must be included

For external distribution, complete address including ZIP code

Include number of copies for each addressee

Does it require permission to use copyrighted material?

SECTION 10

REVIEW AND RELEASE PROCESS

APPROVAL AND ROUTING

Before a document or report leaves the originating branch or unit, it is checked by the branch head (or designee) for technical accuracy. One copy of the document, its distribution list, and accompanying forms must follow applicable directives and the package must be complete. A sample routing package is at the end of this section. The package is then routed as follows:

- Internal division requirements
- Division
- Associate Director of Research
- Classified Material Control (Code 1221) (Code 1221 must have the distribution list along with the document)
- Library (Code 2627)
- Public Affairs Officer (Code 2610) (Unclassified, Distribution Unlimited Reports only)
- Patent Counsel (Code 2004)
- TID Service Desk (Code 2602)

The TID Service Desk will assign appropriate internal TID routings (Editorial, CTC, or Graphic Services).

ROUTE SHEET

The document or report is transmitted by an NRL routing sheet of the appropriate color (green for unclassified reports, yellow for confidential reports, and pink for secret reports). The route sheet identifies the document and lists the appropriate review and approval codes in the established order. Every route sheet must carry a division or branch serial number.

It is the responsibility of the sponsoring division or unit to verify and approve the requirement for and propriety of each document submitted. Each document forwarded must be specifically cited on the accompanying authorization forms, and only one document should be submitted with each route sheet and set of forms.

The Supply Store in Building 71 stocks all required report forms except those developed by a particular division for its own use.

DD FORM 1473

All NRL Reports and Memorandum Reports must include a DD Form 1473. The information provided on the DD Form 1473 is used by the Defense Technical Information Center (DTIC) to describe the report in the Defense RDT&E On-Line System (DROLS), an on-line data base containing citations to defense-related technical reports.

The data base is used by researchers in the defense community. Access points in the data base include title; performing organization; report numbers; personal author; program element, project and task numbers; contract numbers; report data and key words. The citation appearing on-line and in

Since the form is usually unclassified, authors are cautioned that their selection of key words for block 18 should not include any group of words that might convey classified information by reason of their combination.

PUBLICATION APPROVAL FORM (NDW-NRL 5213/2658 (Rev. 11-83))

Reports and various types of research documentation submitted for approval or publication must be accompanied by the appropriate form(s) to authorize action by the Technical Information Division. The form used for documentation that is intended to be printed or reproduced by NRL is the Publication Approval form (NDW-NRL 5213/2658), which provides basic information.

This form has been revised to include two additional items of information: (1) authors are required to initial and date a block that indicates that they have reviewed the subject document for the inclusion of any copyrighted material, and that they have complied with the requirements of NRLINST 5870.1E for the same; and (2) they are required to insert the expiration date of funds being obligated to pay for the preparation and printing of the report. This is to ensure that funds are available when the document reaches the printing stage.

RELEASE FOR PUBLICATION

In addition to the various documents and reports published by NRL, scientists at the Laboratory also publish results of their research through other means, for example, technical journals, conference proceedings, etc. To do this, the work must first be submitted for approval. This is accomplished by submitting two copies of the report with a Publication or Presentation Release Request form (NDW-NRL 5511/1259 (Rev. 5-77)). The routing is as follows:

- Internal Division Requirements
- Division
- Patent Counsel (Code 2004)
- Classified Material Control Section (Code 1221)
- Library (Code 2623)
- Associate Director of Research
- Public Affairs Officer (Code 2610) (Unclassified, Distribution Unlimited Reports only)
- Originating office

If report has been prepared under contract, and the sole author is a non-NRL employee, the Contracting Officer Technical Representative (COTR) must sign on the author signature line. (see sample, p. 10-9). If the report is a multiauthor report, any NRL author may sign.

ROUTE SHEET
NWD-NRL-3216/1552

CODE	DATE	INITIALS	PURPOSE	REMARKS
Internal Routing				Approval
Division Superintendent				Approval
Associate Director of Research				Approval
Code 1221				Classified Material Control (Code 1221 MUST have Distribution List of report at this point; routing will stop until it is received)
Code 2627				Library
Code 2610				Public Affairs Officer (Unclassified, Distribution Unlimited reports only)
Code 2004				Patent Counsel
Code 2602				TID Service Desk (for assigning internal TID routings)
				(Indicate here if report has been prepared by the Computerized Technical Composition Section.)

INSTRUCTIONS

Prepare 2 copies of this route sheet and forward ALL copies together with necessary correspondence and other documents.

PURPOSES

1. FOR INFORMATION
2. FOR APPROVAL
3. PREPARE REPLY
4. PREPARE ENDORSEMENT
5. FOR NECESSARY ACTION
6. FOR SIGNATURE
7. RETAIN ENCLOSURES
8. RETAIN COPY

FROM		DIVISIONS DO NOT FILL IN	
Fill in			
DATE OF MATERIAL	BRANCH IDENT. SYMBOL		
Fill in	Fill in		
ORIG. IDENT. SYMBOL (Unit Room Fill in)		DATE MAILED	
		FILE NO.	
SUBJECT			
Title, author:			
For publication as NRL (Formal/Memorandum) Report			
NRL Instruction Book			
(indicate which type of publication)			
<small>U.S. NO. Unit Rm. Fill in</small> <small>4-6 002 011</small>			

Routing for reports to be published

PUBLICATION APPROVAL <small>(Read Instructions on Back Before Filling in Form)</small>		TID Requisition No. _____ <small>(Filled in by TID)</small>		
		Branch Serial Number _____ Date _____		
1. PUBLICATION TYPE <small>(Check one)</small>	PUB NUMBER <small>(assigned by TID)</small>	2. SECURITY CLASSIFICATION OF PUBLICATION		
<input type="checkbox"/> NRL Report <input type="checkbox"/> Memorandum Report <input type="checkbox"/> NRL Publication <input type="checkbox"/> Instruction Book <input type="checkbox"/> Other (specify) _____	_____ _____ _____ _____ _____	<input type="checkbox"/> Unclassified <input type="checkbox"/> Confidential <input type="checkbox"/> Secret <input type="checkbox"/> Restricted Data <input type="checkbox"/> Formerly Restricted Data <input type="checkbox"/> CNWDI CLASSIFIED BY: _____ DOWNGRADING: _____		
3. SUBMISSION DIVISION				
Publication Title _____ _____				
Author(s) Name (First, MI, Last) _____				Certification that copyrighted material meets requirements of NRLINST 5870.1E <small>(initial/date)</small> _____
Code _____	NRL Problem Number(s) _____	Sponsor and Project Number(s) _____		Funds Expiration or Extension Date _____
4. ROUTING AND COMMENTS				
ROUTING	SIGNATURE	DATE RECEIVED	DATE RELEASED	COMMENTS
Author				
Branch Head				
Division Superintendent				
Associate Director of Research				
Security—Code 1221				
Library—Code 2627				
Public Affairs Officer—Code 2610 Unclassified Unlimited Pub Only				
TID Service Desk—Code 2602				
<input type="checkbox"/> Editorial—Code 2631				
<input type="checkbox"/> Graphic Services—Code 2632				
<input type="checkbox"/> Computerized Technical Composition—Code 2634				
				No. of Copies: _____

NDW-NRL 5213/2658 (Rev. 11-83)
 This form replaces NRL DOCUMENT PRODUCTION Form NDW-NRL 5213/2658 (Rev. 2-82)

Publication Approval Form
(front)

Fill in - all caps

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE			
1a. REPORT SECURITY CLASSIFICATION Fill in		1b. RESTRICTIVE MARKINGS Fill in, if applicable	
2a. SECURITY CLASSIFICATION AUTHORITY Fill in		3. DISTRIBUTION/AVAILABILITY OF REPORT Fill in	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE Enter specific data or event, or Originating Agency Determination Required.			
4. PERFORMING ORGANIZATION REPORT NUMBER(S) Leave blank		5. MONITORING ORGANIZATION REPORT NUMBER(S) Leave blank	
6a. NAME OF PERFORMING ORGANIZATION Fill in	6b. OFFICE SYMBOL (If applicable) Fill in (code)	7a. NAME OF MONITORING ORGANIZATION Fill in	
6c. ADDRESS (City, State and ZIP Code) Fill in		7b. ADDRESS (City, State and ZIP Code) Fill in	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Fill in	8b. OFFICE SYMBOL (If applicable) Fill in	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Leave blank for in-house reports. Enter complete contract number for contractor report.	
8c. ADDRESS (City, State and ZIP Code) Fill in		10. SOURCE OF FUNDING NOS. PROGRAM ELEMENT NO. PROJECT NO. TASK NO. WORK UNIT NO. - Information available from - DD-1498	
11. TITLE (Include Security Classification) Fill in			
12. PERSONAL AUTHOR(S) Fill in; list last name, first name, middle initial and affiliation of non-NRL authors			
13a. TYPE OF REPORT	13b. TIME COVERED FROM Fill in TO Fill in	14. DATE OF REPORT (Yr., Mo., Day) Leave blank	15. PAGE COUNT Leave blank
16. SUPPLEMENTARY NOTATION If it would be helpful, enter useful information about this report, such as: "Prepared in cooperation with", "Presented at symposium", etc.			
17. COSATI CODES FIELD GROUP SUB. GR. Leave blank		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Fill in keywords; for classified reports, each term must be followed by classification	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Fill in, single spaced, not to exceed 300 words. Abstract should be highly condensed, factual summary of information that appears in greater detail in full report. Abstract should stand alone; it should contain no bibliographic, figure, or table references.			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT Check one UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS <input type="checkbox"/>		21. ABSTRACT SECURITY CLASSIFICATION Fill in	
22a. NAME OF RESPONSIBLE INDIVIDUAL Fill in		22b. TELEPHONE NUMBER (Include Area Code) Fill in	22c. OFFICE SYMBOL Fill in (code)

DD FORM 1473, 83 APR


EDITION OF 1 JAN 73 IS OBSOLETE.

Fill in - all caps
SECURITY CLASSIFICATION OF THIS PAGE

DD-1473

(front)

SECURITY CLASSIFICATION OF THIS PAGE



SECURITY CLASSIFICATION OF THIS PAGE

(back)

10-7

ROUTE SHEET
NDW-NRL-5216/1552

CODE	DATE	INITIALS	PURPOSE	REMARKS
Internal routing				
Division				Division approval
Code 2004				Patent Counsel
Code 1221				Classified Material Control (Will assign Release No.)
Code 2623				Library (Enters into NRL Data Base)
Associate Director of Research				
Code 2610				Public Affairs Officer
Return to originating office via local procedures				

INSTRUCTIONS

Prepare 2 copies of this route sheet and
forward ALL copies together with neces-
sary correspondence and other documents.

*PURPOSES

1. FOR INFORMATION
2. FOR APPROVAL
3. PREPARE REPLY
4. PREPARE ENDORSEMENT
5. FOR NECESSARY ACTION
6. FOR SIGNATURE
7. RETAIN ENCLOSURES
8. RETAIN COPY

FROM		DIVISIONS DO NOT FILL IN	
Fill in			
DATE OF MATERIAL	BRANCH IDENT. SYMBOL		
Fill in	Fill in		
ORIG. IDENT. SYMBOL (Unit Room Fill in)		DATE MAILED	
		FILE NO.	
SUBJECT			
Report title, author:			
Type of submission: (e.g., Article for submission to Journal of Fluid Mechanics)			
<div style="border: 1px solid black; padding: 2px; width: fit-content; float: right;"> R. 1 NO. / Unit Rm. Fill in </div>			

DD FORM 101-117

Routing for Publication/Presentation Release

PUBLICATION OR PRESENTATION RELEASE REQUEST

NOR-NRL-6811/1288 (Rev. 8-77)

Assign serial number

Date: Fill inFrom: Code Fill in

To: Head, Classified Material Control Branch (Code 1221)

Via: (1) Division Superintendent (Code Fill in)

(2) Patent Counsel (Code 2004)

Subj: Paper entitled Fill in

; request for release for presentation or publication.

Ref: (a) NRL Instruction 5510.40.

(b) NRL Instruction 5200.3

(c) NRL Instruction 5870.1C

Encl: (1) Two copies of subject paper (or Abstract)

1. In accordance with the provisions of reference (a), it is hereby requested that the subject paper be released for presentation or publication.
2. It is the opinion of the author that the subject paper (is) (is not) classified. (Indicate)
3. This paper has been reviewed for the inclusion of copyrighted material; and, for any such material, the requirements of reference (c) have been fulfilled.
4. This paper has been prepared, keeping specifically in mind trade secrets or suggestions of outside individuals or concerns which have been communicated to the Laboratory in confidence, and does not violate any such disclosures.
5. I intend to offer this paper to the If applicable, fill in
(Name of Conference)

(Date and Place of Conference)

Indicate

which will be (Unclassified) (Confidential) (Secret), and/or for publication in Fill in

(Name of Publication)

(Name of Publisher)

which will be (Unclassified) (Confidential) (Secret). Indicate

6. The Library (Code 2620) will be notified at the time this paper is submitted for publication if reprints will serve in lieu of a formal NRL report, or if reprints are desired from the publisher. After presentation or publication, pertinent publication/presentation data will be furnished Code 2620, in accordance with reference (b).

7. This request is in connection with NRL Problem No. Fill in

(COTR signs if non-NRL author)

(Author's Signature)

FIRST ENDORSEMENT

Date:

From: Division Superintendent (Code Fill in)

To: Head, Classified Material Control Branch (Code 1240)

Via: Patent Counsel (Code 2004)

1. Release of the subject paper (is) (is not) approved.
2. To the best knowledge of this Division, the subject matter of this paper (has) (has never) been classified.
3. The subject paper (has) (has never) been incorporated in an official NRL report. In case the subject paper is recommended for publication in advance of incorporation in an official NRL report, this action is considered desirable for the reason given below:
4. This recommendation takes into account military security and other administrative considerations.

(Supt., _____ Division)

Publication or Presentation Release Request

NOTES

SECTION 11

BIBLIOGRAPHY

Directives

Congress of the United States

Joint Committee on Printing: Government Printing and Binding Regulations (Oct. 1974, No. 23)

Department of Defense

MIL-STD-847, Military Standard Format Requirements for Scientific and Technical Reports Prepared by or For the Department of Defense

DODINST 3200.12, Defense Scientific and Technical Information Program, 15 Feb 1983

DODINST 5200.1-R, Information Security Program Regulation, 1 Aug 1982

DODINST 5200.21, Dissemination of DoD Technical Information, 27 Sept 1979

DODINST 5220.22M, Industrial Security Manual for Safeguarding Classified Information, Jan 1983

DODINST 5230.9, Clearance of DoD Information, for Public Release, 2 April 1982

DODINST 5400.7, DoD Freedom of Information Act Program, 24 March 1980

DODINST 7930.9, ADP Software Exchange and Release, 31 Dec 1979

Department of the Navy

SECNAVINST 3900.35C, Dissemination of DoD Technical Information, 27 Sept 1979

SECNAVINST 5216.5B, Department of the Navy Correspondence Manual, 2 Oct 1972

SECNAVINST 5510.25A - Security Review of Dept. of the Navy Information; responsibility for, 7 Jan 1975

SECNAVINST 5600.15, Standards and guidelines on the content, distribution, and production of publications and printing, 2 Sept 1960

SECNAVINST 5600.16A, Review of Department of the Navy publications; procedures governing, 24 Jan 1979

SECNAVINST 5604.2A, Publication as part of research costs, 7 Dec 1973

SECNAVINST 5216.5B, Department of the Navy Correspondence Manual, 2 Oct 1972

NAVSO P-35, Department of the Navy Publications & Printing Regulations, May 1979

Naval Research Laboratory

NRLINST 3900.21A, Documenting and Reporting NRL Scientific and Technical Work, 12 Dec 1977

NRLINST 3900.27D, Defense Technical Information Center Services; procedures for access to, 22 April 1980

NRLINST 5510.40B, NRL Security Manual, 27 Mar 1981

NRLINST 5720.2, Public Affairs Program, 25 Feb 1982

NRLINST 5870.1E, Use of Copyrighted Materials in Navy Publications, Motion Pictures, Audio and Video Tapes, and Similar Works, 12 Feb 1980

NRLINST 5870.6, Copyright in Works of Authorship Prepared by Naval Research Personnel, 18 Nov 1980

Reference Works

Government Printing Office Style Manual, U.S. Government Printing Office, Washington, D.C., 1973

The Chicago Manual of Style, 13th Edition, The University of Chicago Press, Chicago, IL, 1982.

Webster's New Collegiate Dictionary, G. & C. Merriam Company, Springfield, MA, 1977

The International System of Units (SI) NBS Special Publication 330, U.S. Department of Commerce, available from National Technical Information Service, Springfield, VA 22161, 1981.

Standard for Metric Practice, ASTM E 380, American Society for Testing and Materials, Philadelphia, PA 19103

Hodges' Harbrace College Handbook, 8th Edition, Harcourt Brace Jovanovich, Inc., New York, 1977.

Acronyms, Initialisms, & Abbreviations Dictionary, 5th Edition, Gale Research Company, Chicago, IL, 1976.

Handbook for Authors, American Chemical Society, Washington, D.C., 1978

Style Manual, Third Edition, American Institute of Physics, New York, NY, 1978

Help for the Author

Theodore M. Rubenstein, *The Careful Writer*, Atheneum, New York, 1966.

Robert A. Day, *How to Write and Publish a Scientific Paper*, ISI Press, Philadelphia, PA, 1979

Anne Eisenberg, *Effective Technical Communication*, McGraw-Hill Book Company, New York, NY, 1982

Linda Flower, *Problem-Solving Strategies for Writing*, Harcourt Brace Jovanovich, Inc, New York, NY, 1981

John M. Lannon, *Technical Writing*, Second Edition, Little, Brown and Company, Boston, MA, 1982

M. Skillin and R. Gay, *Words Into Type*, 3rd edition, Prentice-Hall, Inc., Englewood Cliffs, NJ, 1974

Edmond H. Weiss, *The Writing System for Engineers and Scientists*, Prentice-Hall, Inc., Englewood Cliffs, NJ, 1982

NOTES

SECTION 12

WORD LISTS

Standards for the form or usage of words are difficult to establish, because the English language itself is not static. As our language evolves, words now capitalized may lose the capital, hyphens may be added between two words, or hyphenated words may become one word. Under such conditions of development, one is likely to see words and phrases employed with various spellings. However, some degree of consistency is desirable from the point of view of both the author and the reader.

The list which follows serves as a guide for current spelling, capitalization, and compounding of words which commonly appear in NRL and ONR reports. Definitions generally are not provided; acceptable dictionaries are found in every office. A number of prefixes and suffixes are included with comments on how they are compounded.

Generally, if several forms of a word are possible, the shorter spelling (acknowledgment, traveling) and the closed form (percent, overall) are preferred. The names of projects and operations have only the first letter of each word capitalized: Project Cirrus, Operation Deepfreeze. Words which have been formed from the first letters of other words (acronyms) often initially appear in an all-capital form and are later reduced to lowercased letters (loran, radar).

Letters prefixed to words are generally combined with hyphens, as in O-ring, I-beam, and S-shaped, but exceptions are x axis, y direction, x ray, K band, F region, and X cut.

abovedeck
 above-mentioned (um)
 abscissa
 absorbance
 absorptance
 accessible
 accessory
 acetylene
 acknowledgment
 actuate
 acyclic
 adaptable
 adaptation
 adapter
 addendum
 adiabatic
 admissible
 admittance
 adsorbable
 adsorbate (n)
 adsorbent (adj)
 adsorption
 aerator
 aerial
 aerology
 aerospace
 A-frame
 afterburner
 agenda (pl. form but sing. mng)
 aging
 agitate
 air base
 air-based (um)
 airborne
 airbrush
 airburst
 airbus
 air coach
 air-conditioned (um)
 air conditioner (n)
 air-cool (v)
 air-cooled (um)
 air-core transformer
 aircraft-to-surface (um)
 aircrew
 air-drop (v)
 airdrop (n)
 air-dropped (um)
 airfield
 airflow
 airfoil
 air force
 airframe
 airfreight

air gap
 air line (hose for air)
 airline (n, adj)
 air lock (n)
 air port opening for air)
 airport (n, adj)
 airship
 airspace
 airspeed
 airstrip
 airtight
 air time
 airway
 Alfvén
 algorithm
 align
 alkali
 all-weather (um)
 alnico
 alright
 amidships
 ammeter
 ampersand
 amphibious
 amplifier
 amplify
 amplidyne
 amplitude-modulate (v)
 ampoule
 analog
 ancillary
 angle-tracking (um)
 angular
 anion
 anneal
 annular
 anode
 anomalous (adj)
 anomaly
 Antarctic Circle
 antenna, antennae (biology)
 antenna, antennas (radio)
 anti...(combines to form one word
 except before "i", cap. words,
 or words already hyphenated:
 anti-icing, anti-American,
 anti-open-shop)
 a priori
 aqueous
 aperture
 apex, apexes
 apogee
 appendage
 appendix, appendixes

arc
 arc over (v)
 arc-over (n)
 arithmetic
 arrester
 Arrhenius
 arsenal
 asbestos
 ascend
 aspect
 astrology
 astronaut
 astronomical
 asymmetric
 asymmetrical
 asymptote
 asynchronous
 athwartships
 attenuator
 audio frequency (n)
 audible
 avast
 avoirdupois weight
 audiogram
 audiometer
 audiovisual
 auto... (combines to form one word,
 except before "o": auto-oscillation)
 axis, axes (use lower-case letter and
 no hyphen for graph, as in x axis,
 cap. ltr, no hyphen for crystals)
 auxiliary
 Avogadro
 axisymmetric
 azimuthal

 back-coupled (um)
 backfitted
 back matter
 backscatter
 backswing
 backup (n), back up (v)
 backward
 bacterium, bacteria
 ball-and-socket joint
 ball cock
 ballpoint
 band (use cap. letter and no hyphen
 for: X band, S band)
 band center
 band gap
 bandpass
 bandspread
 band stop

bandwidth
 barnacle
 baseline
 bathythermogram (record)
 bathythermograph (instrument)
 Baumé
 beamformer
 beamwidth
 beat frequency (n)
 beat-frequency (um)
 Beaufort scale
 benthic
 benzene, benzol
 Bernoulli trial
 Bessel functions
 Bessemer
 bevel, beveled
 bi-level
 biodegradable
 biweekly
 bioelectric
 blackbody
 black box
 blackout
 blow off (v)
 blue-pencil (v)
 blueprint
 Bohr theory
 boil off (v)
 boiloff (n, adj)
 bolometer
 Boltzmann's constant
 bombproof
 bona fide
 Bose
 Bourdon
 breadboard
 break down (v)
 breakdown (n,adj)
 breakup (n), break up (v)
 breakdown (n,adj)
 bremsstrahlung
 bridged-T network
 Brillouin
 Brinell hardness
 brinelling
 broadband (adj)
 broadside array
 build up (v)
 buildup (n)
 built-up (um)
 bulk shielding
 Bunsen burner
 buoyancy

buret
burn out (v)
burnout (n)
burnthrough (adj)
bus bar
bypass (v, n, adj)
by-product
byte

calendar
camouflage
cancel, canceled, canceler,
cancellation
cannot
capacitance
capital assets
capital letter
Capitol Hill
caret
carrier-based
Cartesian coordinate
cascade
cascade
cassette
catalog
catastrophic
catalysis
catalyze
cathode-coupled
cathode follower(n)
cathode-follower (um)
cathode-loaded (um)
cathode ray
cathode-ray tube (n)
Cauchy
cellular
centerline
center-to-center
centrifugal
Cerenkov, Cherenkov
cesium
chain-reacting pile
Charpy V-notch
chassis (sing. and pl.)
Chebyshev (also Tschebycheff)
chemiluminescence
chemisorb
chemosynthesis
close-up
coaxial
cobalt-60 (also ⁶⁰Co)
cold-roll (v)
cold-rolled (um)

cold-work (v)
collimate
collinear
Colpitts oscillator
concomitant
consistent
controlled
converge
cooperate
coordinate
corundum
corollary
cool-flame (um)
copilot
Coulomb's law
count down (v)
countdown (n,adj)
counter...(combines to form one word
except when modifying a compound
noun: counter electromotive force)
co-worker
crisscross
criterion, criteria
crossarm
cross-check (v, n)
crosscorrelation
crosshair
crosshatched
crosslink (n,v)
crosslinked (adj)
cross-modulation
crossover (n, adj)
cross-reference
cross section (n)
cross-section (v)
cross-sectional (um)
cross term
crystallize
crytallographic
cumulant
cumulus
cure-all
cut (use cap. letter and no hyphen for
crystals: X cut)
cut off (v)
cutoff (n, adj)

data (pl.)
D Day
dead time
deadweight
de Broglie
deceleration (not "deacceleration")
decuplet

deemphasis (radio)

deice

deicing

de-ionized

dependence

de-spin

detectable

determinant

diabatic

diagonalizable

diagrammed

diagrammatic

dineutron

di-pion

Dirichlet

discernible

discrete

disk

divergences

direct-couple (v)

direct-coupled (um)

dissociation

Doppler

... down (combines to form one word for
nouns and adj.: countdown, shutdown)

drier (a chemical additive)

drive shaft

down-spin

drop out (v)

dropout (n,adj)

dryer (equipment)

Du Mont

du Pont

dustproof

dust-tight

early-warning (um)

east

Eastern standard time (EST)

echelle

echoes

echo-range (v)

echo-ranging (n, um)

effect

eigenfunction

eigenvalue

eikonal

electro... (combines to form one
word)

electron micrograph

endfire array

endproduct

end product

E region

ensure

ergodic

étalon

exercised

explicitly

extremal

eyepiece

Faddeev

fall time

Faraday effect

farfield

feedback

feedline

fermion

ferroelectric

ferrous

Feynman

feedthrough

Fiberglas (tm)

fiber glass

fire control (n)

fire-control (um)

fireproof

fitted

fix-tuned

flammable (preferred to
"inflammable")

flareup

flashback

flat-top antenna

fleet (but, 7th Fleet)

flowchart

flow rate

fluxmeter

fly-by

focused

... fold (combines to form one word
if the figure is spelled out:
fourfold; otherwise, 16-fold)

foreword (a preface)

formula, formulas

Fortran

forward (adj,adv,v)

Foster scanner

Fourier

Fourier integral, series

freeze-dry

freeze-out

frequency-modulate (v)

Friedel

fulfillment

fuse (electricity)

AD-A146 165

FORMAT GUIDE FOR SCIENTIFIC AND TECHNICAL REPORTS(U)
NAVAL RESEARCH LAB WASHINGTON DC 1984

2/2

UNCLASSIFIED


F/G 5/2

NL

END

FORMED

DATE



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

fuze (ordnance)

γ -cerium
gamma ray
gasdynamic
gases

gauge
gastight
Gaussian
gearbox
gerade
glass-fiber (um)
glovebox
glycerin
go/no-go

gray
Greenwich mean time (GMT)
Grüneisen
guideline
gyrocompass
gyro frequency
gyro mechanicm

hadrodynamics
half-cycle
half-life
half-space
half-wavelength
half-wave-spaced (um)
halfway
half-width (n, um)

handsheet
hard-drawn
Hartley oscillator
Harveyized (steel)
heat-treat (v)

heat treatment
Heaviside
heightfinder (n)
heightfinding (um)
Helmholtz

Hertz antenna
Hertzian
heuristically
higher-molecular-weight (um)
high cost
high-frequency (um)
high-pass
histogram

Hohlraum
holddown clamp
homolog
Hooke's law
horsepower

hybridization
hydrodynamics
hydrogenic
Hylleraas
hypersonic (speed only)
hysteresis

iconoscope
impedance-matching (um)
inadvertently
inasmuch as
index, indices (math)
indices
indispensable
infinitesimal
inflowing
infrared
infrasonic (not subsonic)
input
inscattering
in situ
in-state
integro-differential
intensity-modulate (v)
inter...(combines to form one word
except before cap. letters:
inter-American)
inter-ion
intermediate-frequency (um)
interstitialcy
in vacuo
isotropic
intra...(combines to form one word
except before a, u, and cap.
letters: intra-atomic,
intra-urethral, intra-European)

Johnson noise
Joule's law
judgment

Kelvin (scale)
kilo...(combines to form one word)
Kirchhoff's law
klystron
Kramers
Kronecker

labeled
Laguerre
Landé
Langevin
Langmuir

Laplace's equation
 Laplace transform
 Laplacian (operator)
 Larmor
 Laue
 lead-in (n,um)
 Lebesgue
 Le Chatelier
 left-handed (um)
 lemma
 Lie
 lifetime
 lighter-than-air craft
 lightweight
 light-year
 . . . like (combines to form one word)
 line of sight (n)
 line-of-sight (um)
 line shape
 line shift
 linewidth
 Liouville
 liquefy
 Lissajous figure(s)
 lobe-switching (um)
 lobewidth
 lock-in
 locknut
 lock washer
 long-time (um)
 loran
 loudspeaker
 louver
 low-frequency (um)
 low-pass (um)
 lowercase letters

 macro... (combines to form one word)
 Madelung
 magnetoinductive
 makeup (n,adj)
 manageable
 man-made
 material
 materiel (equipment)
 matrix, matrices (math)
 maximum, maxima
 maxwell (unit)
 Maxwellian
 Maxwell's rule
 mean life
 measurable
 medium-frequency (um)

medium-weight (um)
 mega... (combines to form one word)
 Meissner circuit
 memorandum, memoranda
 metastable
 micro... (combines to form one word:
 microorganism, but microhm)
 mid... (combines to form one word
 except before a cap. word:
 mid-Atlantic)
 milli... (combines to form one word)
 minelayer
 minesweeper
 minimum, minima
 mismatch
 mockup (n)
 moiré
 mold (v,n)
 mole (not mol)
 monatomic
 mono... (combines to form one word)
 monochromator
 monotonic
 Mössbauer
 movable
 multi... (generally combines to form
 one word except before "i":
 multi-input)

 nameplate
 narrowband
 naval
 Navy
 nearby
 near-field
 Néel
 neoprene
 newton (unit)
 Newtonian
 Newton's law
 non... combines to form one word except
 before cap. letters: non-Greek)
 north-northeast
 nose cone (n)
 noticeable
 N-pole
 nucleus, nuclei
 nylon

 occurrence
 occurring
 . . . off (combines to form one word:
 tradeoff)

offboard
 off-center (um)
 off-diagonal
 off-line (um)
 off-resonance
 oiltight
 onboard
 on-line (um)
 open-circuited
 ordinate
 ortho state
 orthorhombic
 organometallic
 orthicon
 outflowing
 outgas
 output
 out-state
 over..(combines to form one word:
 overreach, overall)

Padé
 pairwise
 parallelepiped
 parallel-resonant circuit
 parametrize
 para state
 passband (n)
 path length
 payload
 peak width
 payout
 Peltier effect
 pentaatomic
 pentagrid
 permallow
 permittivity
 perovskite
 Petri
 phenomenon, phenomena
 phosphorous (acid)
 phosphorus (element)
 photo...(combines to form one
 word, except photo-offset)
 picketboat
 pickup
 piezoelectric
 piggyback
 pinpoint (n,v)
 pipeline
 pipet
 Pitot
 pitot tube
 Planck's constant

plane-parallel
 plane-polarized wave
 plan-position indicator
 play back (v)
 playback (n)
 plug-in (um)
 Poincaré
 polaron
 Pomeranchuk
 polystyrene
 Pomeranchuk
 position finding (n)
 position-finding (um)
 post...(combines to form one word
 except before a cap. word: post-
 Renaissance)
 power pack
 power plant
 Poynting
 power plant
 pre...(combines to form one word
 except before a cap. word: preempt,
 pre-American)
 preceding
 previously mentioned
 principal (adj, foremost; n, governing
 head)
 principle (n, rule or doctrine)
 printout
 pro...(combines to form one word
 except before "o" or a cap. word:
 pro-oceanic, pro-American)
 procedure
 proceeding
 programmed
 propellant (n, adj)
 propeller
 pseudo...(generally combines to form
 one word with scientific nouns and
 adjectives but is a separate word
 before nontechnical nouns; hyphenated
 when second element is cap.: pseudo-
 Babylonian)
 pseudoeigenfunction
 pulse-code modulation
 pulse jet (n)
 pulse-jet (um)
 pulse length
 pulse modulate
 pulse-position modulation
 pulse-recurrence frequency
 pulse-repetition frequency
 pulse-time modulation
 pulse width

pushbutton
push-pull

quadrupole
quasi (usually a separate word
directly before nouns)
quaternary
queuing

radioactive
radiocarbon
radio frequency
radio-frequency (um)
radioisotope
radiosonde
radio wave (n)
radiowave (um)
radius, radii
radome
ramjet (n)
range finding (n)
range-finding (um)
range finder (n)
range-height (um)
range marker
range tracking (n)
range-tracking (um)
rat race
re...(combines to form one word
except to avoid ambiguity:
re-form, re-cover)
read in (v)
readin (n,adj)
read out (v)
readout (n,adj)
real time (n)
real-time (adj)
Reaumur (scale)
recurrence
red shift
reenter
reevaluate
reexamine
referred
reflectance
reinforced
relative-heading indicator
relevant
resistivity
reststrahl(ung)(en)
résumé
retro rocket (n)
Reynolds
Riemann

ripcord
rise time
rocketborne
rock salt
roentgen-equivalent-man
roentgen-equivalent-physical
root-mean-square (um)
rubber shock-mounted
rutherford (unit)

sagitta
sawtooth (n,adj)
scan, scope (use cap. letter and
hyphen: B-scan, B-scope)
Schottky
Schrödinger
Scyllac
seawater
sea state
seaway
sector-scan (um)
Segré
self...(use a hyphen when the
first part of a compound
expression: self-explanatory)
selsyn
semi...(combines to form one word
except before "I" or a cap.
word: semi-independent,
semi-Gothic)
series-resonant circuit
series-shunt (um)
servo (n,adj)
servoamplifier
servo control
servo generator
servo indicator
servomechanism
servomotor
servo system
setscrew
setup (n,adj)
set up (v)
shipborne
ship-to-shore (um)
shock mount (n)
shock-mount (v,um)
shockproof
shock wave
shoreline
short circuit (n)
short-circuit (v,um)
short-time
short time constant

ships, U.S. Navy (USS New Jersey, or
USS New Jersey)

ships, U.S. Navy
(armed, combatant, or support - USS
noncombatant - USNS)

shutdown (n,adj)

sidearm

sideband

side-by-side (um)

side lobe (n)

sidereal

signal-to-noise ratio

silicone

silver solder (n)

silver-solder (v,um)

sine wave

sinusoidal

sizable

slit width

snorkel

snorkeled

snorkeling

solenoid

Soller

space-time

spatial

spherocylindrical

splashproof

S-pole

spot weld (n)

spot-weld (v,um)

square-law (um)

stand by (v)

standby (n,adj)

standing wave

standing-wave ratio

standoff insulator

standoff jammer

start-stop (um)

startup (n,adj)

stationary (fixed)

stepwise

stochastic

stoichiometric

Stokes

stop band

stylus, styli

sub...(combines to form one word
except before a cap. word; but,
sub-subcommittee)

subband

sulfur

super...(combines to form one word
except before a cap. word:
super-Navy)

superhigh frequency

supersede

supersonic (speed only)

suppressor

surface-active (um)

synchro (n,adj)

synchrocyclotron

synchro repeater

synchroscope

synchrotron

tachyon

takeoff

takeup

talkdown

target-following (n,um)

Tchebycheff (also Chebyshev)

TEM mode

TE mode

temperature-sensitive (um)

tetraatomic

thermistor

threshold

thyatron

time of fall

time of flight (n)

time-of-flight (um)

time of rise

TM mode

tokamak

topflight

torpedos

toward

trade off (v)

tradeoff (n,adj)

trans...(combines to form one word
except before a cap. word:
trans-Ural)

transformer-coupled

transit time

transmit-receive

transmittance

transmitter-receiver

transverse-electric-magnetic mode

transverse-electric mode

transversity

traveling

triatomic

troubleshooting
tr tube
tuned radio frequency (n)
tuned-radio-frequency (um)
tunneling
turbojet
turboprop
turboramjet
turnoff (n,adj)
turn-on (n,um)
two thirds
two-thirds (fraction, or um)
... type (generally uses a hyphen as
part of a compound expression:
sodium-type glass)

U-boat
ultra... (combines to form one word
except before "a", cap. words., or
in Latin expressions: ultra-
academic, ultra-American, ultra
mare)
ultrasonic (frequency only)
ultraviolet
umklapp
un... (combines to form one word,
except un-ionized, and before a cap.
word: un-American)
ungerade
un-ionized
up... (generally combines to form one
word, but hyphen is used in three-
word modifiers: up-and-down, also,
up-anchor as a verb)
uppercase letters
up-spin
usable
U-shaped
U-tube

vacuum
Van de Graaff
van der Waals
van't Hoff
V-beam
VE Day
vertices
very-high-frequency (um)
vice versa
viscous

VJ Day
voltage standing-wave ratio
voltmeter
vortices
warhead

waterborne
water-soluble (um)
watertight
wattmeter
waveform
wavefront
wave function
waveguide
wave height
wavelength
wavemeter
wave motion
wave number
wave packet
wave shape
wave vector
Wheatstone bridge
wholly
... wide (combines to form one
word)
wide band (n)
wideband (adj)
Wien bridge
wingnut
wind tunnel
windup
... wise (combines to form one
word)
worthwhile
worldwide
write-in (n,um)
wurtzite

x axis
x ray (n)
x-ray (v,um)

Yagi array
y axis

zeros
zeroth
zinc blende

SIMPLER WORDS AND PHRASES*

Official writing does *not* demand big words or fancy phrases. Write naturally—in the words you speak with. Those words are usually small. The guts of English are in its small, often one-syllable, words. Not only do they save typing and reading time, they make writing livelier and ideas clearer.

<i>Instead of</i>	<i>Try</i>	<i>Instead of</i>	<i>Try</i>
accompany	go with	comply with	follow
accomplish	carry out, do	component	part
accomplish (a form)	fill out	comprise	form, include, make up
accordingly	so	concerning	about, on
accrue	add, gain	conclude	close, and
accurate	correct, exact, right	concur	agree
achieve	do, make	confront	face, meet
actual	real	consequently	so
additional	added, more, other	consolidate	combine, join, merge
address	discuss	constitutes	is, forms, makes up
addressees are requested ...	(omit), please	construct	build
adjacent to	next to	contains	has
advantageous	helpful	continue	keep on
advise	recommend, tell	contribute	give
afford an opportunity	allow, let	current	(omit)
aircraft	plane		
anticipate	expect	deem	think
a number of	some	delete	cut, drop
apparent	clear, plain	demonstrate	prove, show
appear	seem	depart	leave
appreciable	many	designate	appoint, choose, name
appropriate	(omit), proper, right	desire	wish
approximately	about	determine	decide, figure, find
as a means of	to	develop	grow, make, take place
ascertain	find out, learn	disclose	show
as prescribed by	under	discontinue	drop, stop
assist, assistance	aid, help	disseminate	issue, send out
attached herewith is	here's	do not	don't
attempt	try	due to the fact that	due to, since
at the present time	now		
		echelons	levels
be advised	(omit)	effect	make
be responsible for	handle	elect	choose, pick
benefit	help	eliminate	cut, drop, end
by means of	by, with	employ	use
		encounter	meet
capability	ability, can	encourage	urge
category	class, group	endeavor	try
caveat	warning	ensure	make sure
close proximity	near	enumerate	count
cognizant	aware, responsible	environment	(omit)
combined	joint	equitable	fair

*Prepared by the Department of English, U.S. Air Force Academy

<i>Instead of</i>	<i>Try</i>
equivalent	equal
establish	set up, prove, show
evaluate	check, rate, test
evidenced	showed
evident	clear
examine	check, look at
exhibit	show
expedite	hurry, rush, speed up
expeditious	fast, quick
expend	pay out, spend
expense	cost, fee, price
expertise	ability, skill
explain	show, tell
facilitate	ease, help
factor	reason, cause
failed to	didn't
feasible	can be done, workable
females	women
final	last
finalize	complete, finish
for a period of	for
for example	such as
forfeit	give up, lose
for the purpose of	for, to
forward	send
function	act, role, work
furnish	give, send
herein	here
however	but
identical	same
identify	find, name, show
immediately	at once
impacted	affected, changed, hit
implement	carry out, do, follow
in accordance with	by, following, under
in addition	also, besides, too
in an effort to	to
inasmuch as	since
in a timely manner	on time, promptly
inception	start
in conjunction with	with
in consonance with	agree with
incorporate	blend, join, merge
incumbent upon	must
indicate	show, write down
indication	sign
initial	first
initiate	start

<i>Instead of</i>	<i>Try</i>
in lieu of	instead of
in order that	for, so
in order to	to
in regard to	about, concerning, on
inter alia	(omit)
interface with	deal with, meet
interpose no objection	don't object
in the amount of	for
in the course of	during, in
in the event that	if
in the near future	soon
in view of	since
in view of the above	so
it is	(omit)
it is essential	must
it is recommended	we recommend
it is requested	please, we request
justify	prove
legislation	law
liaise with	coordinate, talk with
limited number	few
limitations	limits
locate	find
location	place, scene, site
magnitude	size
maintain	keep, support
majority	greatest, longest, most
methodology	method
minimize	decrease, lessen, reduce
modify	change
monitor	check, watch
month of	(omit)
nebulous	vague
necessitate	cause, need
non-concur	disagree
notify	let know, tell
not later than	by
numerous	many, most
objective	aim, goal
obligate	bind, compel
observe	see
obtain	get
on a ___ basis	(omit)
operate	run, work
operational	working

<i>Instead of</i>	<i>Try</i>
optimum	best, greatest, most
option	choice, way
parameters	limits
participate	take part
perform	do
permit	let
personnel	people, staff
pertaining to	about, of, on
point in time	point, time, now
portion	part
position	place, put
possess	have, own
practicable	practical
preclude	prevent
prepared	ready
previous	earlier, past
previously	before
prioritize	rank
prior to	before
probability	chance
procedures	rules, ways
proceed	do, go on, try
proficiency	skill
programmed	planned
promulgate	announce, issue
provide	give, say, supply
provided that	if
provides guidance for	guides
provisions of	(omit)
purchase	buy
purpose is to	(omit)
pursuant to	by, following, under
reason for	why
recapitulate	sum up
reduce	cut
reflect	say, show
regarding	about, of, on
relating to	about, on
relocation	move
remain	stay
remainder	rest
remuneration	pay, payment
render	give, make
request	ask
require	must, need
requirement	need
reside	live
retain	keep
review	check, go over

<i>Instead of</i>	<i>Try</i>
selection	choice
shall	will
shortfall	shortage
similar to	like
solicit	ask for
state	say
state-of-the-art	latest
subject	the, this, your
submit	give, send
subsequent	later, next
subsequently	after, later, then
substantial	large, real, strong
sufficient	enough
take action to	(omit), please
task	ask
terminate	end, stop
that	(omit)
therefore	so
there are	(omit), exist
therein	there
there is	(omit), exists
thereof	its, their
this command	us, we
timely	prompt
time period	either one)
transmit	send
transpire	happen, occur
-type	(omit)
until such time as	until
(the use of	(omit)
utilize, utilization	use
validate	confirm
value	cost, worth
verbatim	word for word, exact
viable	practical, workable
vice	instead of, versus
warrant	call for, permit
whenever	when
whereas	since
with reference to	about
with the exception of	except for
witnessed	saw
your office	you
/	and, or

NOTES

NOTES

SECTION 13

STANDARD ABBREVIATIONS

Abbreviations can often be utilized to serve a useful and acceptable purpose. However, much wasted time and frustration may be experienced by your readers if they have to look up terms when you use unfamiliar abbreviations. It is good writing practice to always define abbreviations when you introduce them in the manuscript.

The following abbreviations have been standardized for use in NRL publications. Additional information on abbreviations useful to DoD employees is found in Section E (pp. X-19 - X-31) of the Department of the Navy Correspondence Manual (SECNAVINST 5216.5B).

absolute	abs	complementary metal oxide semiconductor	CMOS
alternating-current	ac	center of gravity	c.g.
altitude	alt	center of mass	c.m.
amplitude modulation	AM	centimeter-gram-second (system)	cgs
analog-to-digital	A/D	chapter	Chap., Ch.
anno Domini	A.D.	chemically pure	cp
ante meridiem	a.m.	circular error probability	CEP
antilogarithm	antilog	coefficient (in subscript)	coef
aperture ratio 16	f/16	cologarithm	colog
approximate (in subscript)	approx	combat information center	CIC
arccosecant	arccsc	Company	Co.
arccosine	arccos	complex conjugate	c.c.
arccotangent	arccot	confer (compare)	cf.
arcsecant	arcsec	confidence limits	C.L.
arcsine	arcsin	constant	const
arctangent	arctan	contact potential difference	cpd
argument	arg	continuous-wave	cw
atmosphere	atm	Corporation	Corp.
audio-frequency	AF	cosecant	csc
automatic frequency control	AFC	cosine	cos
automatic gain control	AGC	cotangent	cot
automatic volume control	AVC	cubic	cu
average (in subscript)	av	curl	$\nabla \times$
backward-wave-oscillator	BWO		
Bardeen-Cooper-Schrieffer	BCS		
beat frequency oscillator	BFO	deoxyribose nucleic acid	DNA
binary coded decimal	BCD	determinant	det
bits per second	bps or b/s	deviation	dev
body-centered-cubic	bcc	diameter	diam
boiling point	bp	digital-to-analog	D/A
Brinell hardness number	BHN	digital voltmeter	DVM
byte — a number of bits (often 8 bits)	B	direct-current	dc
calculated (in subscript)	calc	direction finder (or direction finding)	DF
cathode-ray tube	CRT	disintegration per second	dis/s
		divergence	div

e — base of the natural logarithm
east
edition
effective radiated power
elastic (in subscript)
electromagnetic unit
electromotive force
electron paramagnetic resonance
electron spin resonance
electronic countercountermeasures
electronic countermeasures
electronic data processing
electronic intelligence
electronic warfare support measure
entropy unit
equation
equations
equivalent weight
error function
error function (complement of)
estimated standard deviation
et alii (and others)
exempli gratia (for example)
experiment(al) (in subscript)
exponential
extremely high frequency
extremely low frequency

f number — If the f number is 7,
the abbreviated form is
face-centered-cubic
fast Fourier transform
field effect transistor
figure
figures
fiscal year — written lower case when
spelled out, as in fiscal
year 1984, but capitalized when
abbreviated, as FY 1984

for example
Fortran — commonly used for FORTRAN.
However, if a report uses all-capital
acronyms for other computer languages,
use FORTRAN

fracture analysis diagram
fracture transition — elastic
frames per second
freezing point
frequency-modulation
frequency-shift keying
full-shear temperature

gradient
gravity, standard acceleration of

e
E
ed.
ERP
el
emu
emf
EPR
ESR
ECCM
ECM
EDP
ELINT
ESM
eu
Eq.
Eqs.
eq wt
erf
erfc
e.s.d.
et al.
e.g.
expt
e, exp
EHF
ELF

ground-control approach
Greenwich mean time

heat-affected zone
heavy section steel technology
Hermitian conjugate
heightfinding
hexagonal-close-packed
high-frequency
hyperbolic cosecant
hyperbolic cosine
hyperbolic cotangent
hyperbolic secant
hyperbolic sine
hyperbolic tangent
hyperfine structure

ibidem (in the same place)
identification, friend or foe
id est (that is)
imaginary part
Incorporated
inelastic (in subscript)
infrared
inside diameter
intermediate frequency
International Critical Tables

f/7
fcc
FFT
FET
Fig.
Figs.

laboratory (in subscript)
laser

latitude
least significant bit
limit
linear combination of atomic orbitals
local oscillator
local oscillator frequency
lofar — word that has replaced acronym
for low frequency analysis and recording
logarithm (base 10)
logarithm (natural, base *e*)
longitude
longitudinal-acoustic
longitudinal-optic
loran — word that has replaced the acronym
for long-range navigation
low frequency

FAD
FTE
fps
fp
FM
FSK
FST

magnetic anomaly detection
magnetohydrodynamics
magnetomotive force
magnetoplasmdynamics
Mark

GCA
GMT

HAZ
HSST
H.c.
HF
hcp
HF
csch
cosh
coth
sech
sinh
tanh
hfs

ibid.
IFF
i.e.
Im
Inc.
inel
IR
i.d.
IF
ICT

lab
use all
small letters

lat
LSB
lim
LCAO
LO
LOF

log
ln
long
LA
LO

LF

MAD
MHD
mmf
MPD
Mk

maximum	max	relative humidity	RH
medium frequency	MF	relative to	re
melting point	mp	resistance capacitance	RC
metal-oxide semiconductor	MOS	resistance inductance	RL
meter-kilogram-second (system)	mks	ribonucleic acid	RNA
minimum	min	room temperature	RT
molecular equivalent	mol-eq	root-mean-square	rms
molecular orbital	MO		
molecular weight	mol-wt	secant	sec
most significant bit	MSB	section	Sec.
moving-target indicator	MTI	sections	Secs.
		selective identification feature	SIF
north	N	Series	Ser.
negative-positive-negative	npn	signal-to-noise ratio	S/N
<i>nota bene</i> (mark well)	N.B.	signum function	sgn
not determined	N.D.	silicon-controlled rectifier	SCR
nuclear magnetic resonance	NMR	single sideband	SSB
number	No.	sine	sin
		sound surveillance system	SOSUS
observed (in subscript)	obs	south	S
of order less than	o()	specific gravity	sp gr
of the order of	O()	specific heat	sp ht
outside diameter	o.d.	square	sq
		standard	std
page	p.	standard temperature and pressure	STP
pages	pp.	standing-wave ratio	SWR
Part	Pt.	superhigh frequency	SHF
phase modulation	PM	Supplement	Suppl.
plan-position indicator	PPI	<i>Système International</i>	SI
post meridiem	p.m.		
positive-intrinsic-negative	pin	tangent	tan
positive-negative	pn	temperature	temp
positive-negative-positive	pnp	tensile strength	TS
potential difference	PD	theory, theoretical (in subscript)	theor
precipitate	ppt	time modulation	TM
probable error	pe	total (in subscript)	tot
pulse-code modulation	PCM	trace	tr, Tr
pulses per second	pps	transmit-receive	TR
pulse position modulation	PPM	transverse-acoustic	TA
pulse-repetition frequency	PRF	transverse-electric	TE
pulse repetition interval	PRI	transverse-electromagnetic	TEM
pulse-repetition period	PRP	transverse-magnetic	TM
pulse-time modulation	PTM	transverse-optic	TO
pulse width	PW	traveling-wave tube	TWT
quantum electrodynamics	QED		
<i>quod erat demonstrandum</i> (which was to be demonstrated)	Q.E.D.	ultimate tensile strength	UTS
		ultrahigh-frequency	UHF
radio-frequency	RF	ultraviolet	UV
random-phase approximation	RPA	United States Pharmacopoeia	U.S.P.
ratio analysis diagram	RAD		
real part	Re	variable-frequency oscillator	VFO
reference	Ref.	vacuum-tube voltmeter	VTVM
references	Refs.	valence band	VB

versus
 very high frequency
 very low frequency
videlicet (that is to say, namely)
 viscosity
 voltage standing-wave ratio
 Volume

vs
 VHF
 VLF
 viz.
 visc
 VSWR
 Vol.
 Wentzel-Kramers-Brillouin
 west
 x unit
 yield point
 yield strength

WKB
 W
 xu
 YP
 YS

<u>STATE</u>	<u>ABBREVIATION</u>	<u>2-CHARACTER</u>
Alaska	None	AK
Alabama	Ala.	AL
Arizona	Ariz.	AZ
Arkansas	Ark.	AR
California	Calif.	CA
Colorado	Colo.	CO
Connecticut	Conn.	CT
Delaware	Del.	DE
District of Columbia	D.C.	DC
Florida	Fla.	FL
Georgia	Ga.	GA
Hawaii	None	HI
Illinois	Ill.	IL
Indiana	Ind.	IN
Idaho	None	ID
Iowa	None	IA
Kansas	Kans.	KS
Kentucky	Ky.	KY
Louisiana	La.	LA
Maine	None	ME
Maryland	Md.	MD
Massachusetts	Mass.	MA
Michigan	Mich.	MI
Minnesota	Minn.	MN
Mississippi	Miss.	MS
Missouri	Mo.	MO
Montana	Mont.	MT
Nebraska	Nebr.	NE
Nevada	Nev.	NV
New Hampshire	N.H.	NH
New Jersey	N.J.	NJ
New Mexico	N. Mex.	NM
New York	N.Y.	NY
North Carolina	N.C.	NC
North Dakota	N. Dak.	ND
Ohio	None	OH
Oklahoma	Okla.	OK
Oregon	Oreg.	OR
Pennsylvania	Pa.	PA
Rhode Island	R.I.	RI
South Carolina	S.C.	SC
South Dakota	S. Dak.	SD
Tennessee	Tenn.	TN
Texas	Tex.	TX
Utah	None	UT
Vermont	Vt.	VT
Virginia	Va.	VA
Washington	Wash.	WA
Wisconsin	Wis.	WI
West Virginia	W. Va.	WV
Wyoming	Wyo.	WY
Canal Zone	C.Z.	CZ
Guam	None	GU
Puerto Rico	P.R.	PR
U.S. Virgin Islands	V.I.	VI

NOTES

NOTES

SECTION 14

UNITS OF MEASURE ABBREVIATIONS

Use the following standard symbols (or abbreviations) for units of measure. To "define" a symbol, spell it out the first time it appears in manuscript, as in "6 LU (Lorentz units)." Units marked with asterisks are official units of the *Système International* of metric units. SI units are preferred. Also consult American Society for Testing and Materials (ASTM) publication E380, Standards for Metric Practice.

amagat	spell out	decibel	dB
*ampere	A	decibel above 1 mW	dBm
ampere hour	A·h, A h	degree (plane angle)	°, deg
ampere turns per meter	At/m	degrees Baumé	*B
angstrom	use 0.1 nm	degrees Celsius (centigrade)	*C
astronomical unit	AU (0.14959789 Tm)	degrees Fahrenheit	*F
atmosphere, standard	atm	degrees Kelvin	*K, °K
atomic mass unit	amu	disintegrations per minute	dis/min
atomic percent	at. %	disintegrations per second	dis/s
atomic time unit	atu (define)	dyne	dyn
atomic unit	a.u.		
atomic weight	at. wt	electromagnetic unit	emu
attofarad	aF	electrons per atom	e/at.
		electrons per cubic centimeter	e/cm ³
bar	spell out	electron unit	e.u.
barn	b	electron volt	eV
*becquerel	Bq	electrostatic unit	esu
billion electron volt	use GeV	erg	spell out (use 10 ⁻⁷ J)
biot	Bi		
bits per second	bps or b/s	faraday	F
bohr	spell out	*farad	F
British thermal unit	Btu	fathom	spell out (use 1.8288 m)
calorie	cal	femtometer	fm
*candela	cd	fermi	fm
candlepower	cp	fissions per minute	fpm (define)
centimeter	cm	foot	ft
centipoise	cP (use 1 mPa s)	foot-candle	fc
centistokes	cS (1 m/s ²)	foot-lambert	fL
*coulomb	C	foot-pound	ft·lb, ft lb
counts per minute	cpm (define), counts/min	frames per second	fps
counts per second	counts/s	franklin	Fr
cubic centimeter	cm ³		
curie	Ci	gal	Gal
cycle	spell out	gallon	gal
cycles per second	*Hz, cps, c/s	gauss	G (use 0.1 mT)
		gibbs	spell out
day	d or spell out	gigacycles per second	GHz, Gc/s
debye	D		

giga-electron-volt	GeV	maxwell	Mx
gigahertz	GHz	megacycles per second	MHz, Mc/s
gigavolt	GV	mega-electron-volt	MeV
gilbert	Gi	megahertz	MHz
gram	g	megarad	Mrad
gram-atom	g-at.	megavolt	MV
gram-atomic-weight	g at. wt	megawatt	MW
gram equivalent weight	gew	megohm	MΩ
gram formula weight	gfw	*meter	m
*gray	Gy	meters of water equivalent	mwe, m (w.e.) (define)
hartree	spell out or use E_h	mho—use sieman	U
hectare	ha	microampere	μA
hectogram	hg (define)	microampere hour	μA·h, μA h
*henry	H	microcoulomb	μC
*hertz	Hz	microfarad	μF
horsepower	hp	microhenry	μH
hour	h	microhm	μΩ
inch	in.	micrometer	μm
inch-pound	in.-lb	micron	μ
*joule	J	microns of mercury	μ Hg
kilobyte	kb	microsecond	μs
*kelvin	K	mil	spell out
kilocalorie	kcal	mile	mi or spell out
kilocycles per second	kHz, kc/s	milliampere	mA
kilo-electron-volt	keV	millibarn	mb
kilogauss	kG	millicurie	mCi
*kilogram	kg	milli-electron-volt	meV
kilogram force	kgf	milligram	mg
kilogram meter	kg·m, kg m	millihenry	mH
kilohertz	kHz	millikelvin	mK
kilohm	kΩ	millimeter	mm
kilojoule	kJ	millimeters of mercury	mm Hg
kilokelvin	kK	million electron volt	MeV
kilometer	km	millitorr	mTorr
kilo-oersted	kOe	millivolt	mV
kiloparsec	kpc	minute (time)	min
kiloton	kt (define)	minute (plane angle)	'
kilovolt	kV	molal (concentration)	m
kilovolt ampere	kV·A, kV A, kVA	molar (concentration)	M
kilowatt	kW	*mole	*mol
kilowatt hour	kW·h, kW h, kWh	mole percent	mol %, mole %
		mole percent metal	MPM (define)
		month	spell out
		nanobarn	nb
		nanometer	nm
		nanosecond	ns
		nautical mile	nmi
		neper	Np
		neutrons per fission	n/f
		neutrons per second	n/s
		*newton	N
		normal (concentration)	N
lambert	L		
langmuir	L (define)		
liter	l		
Lorentz unit	LU (define)		
*lumen	lm		
lumens per watt	lm/W		
*lux	lx		

oersted	Oe	shake	spell out and define
*ohm	Ω	*siemens	S
ohm centimeter	$\Omega \cdot \text{cm}$, $\Omega \text{ cm}$	*steradian	sr
ohms per square	Ω / sq , Ω / \square	stokes	S (use 0.0001 m ² /s)
ounce	oz		
		tera-electron-volt	TeV
parsec	pc	terahertz	THz
parts per million	ppm	*tesla	T
*pascal	Pa	ton	t, or spell out
percent	%	torr	Torr
picofarad	pF	townsend	Td (define)
picosecond	ps		
poise	P	unified atomic mass unit	u
pound	lb		
pound-force per square inch	lb/in. ²	*volt	V
pounds per square inch	psi	volt ampere	VA
absolute		volt-ampere, reactive	var
pounds per square inch gauge	psig	(unit of relative power	
pound-foot	lb-ft	in SI units)	
pound-inch	lb-in.	volume percent	vol %
		volt-coulomb	VC
rad	spell out		
*radian	rad	*watt	W
radiation length	r.l. (define)	watt hour	Wh
reciprocal ohm	*S, mho	watt second	Ws
revolutions per minute	rpm	*weber	Wb
revolutions per second	rev/s, rps	webers per square meter	Wb/m ²
roentgen	R	week	spell out
rydberg	Ry	weight percent	wt. %
		Weisskopf unit	W.u. (define)
		x-ray unit	xu (define)
*second (time)	s		
second (plane angle)	"	year	yr

NOTES

INDEX

Abbreviations, Standard, 13-1
State, 13-4

Abbreviations, Units of Measure, 14-1

Abstract, 3-2

Acknowledgments, 3-9

Appendix, 4-6
Numbering of tables, figures and equations in,
4-7
Referring to in text, 4-6
Unclassified appendix in classified publication,
8-7

Back Elements, 4-1

Basic Regulations, 1-1

Bibliography (this Guide), 11-1
Directives, 11-1
Reference works, 11-1
Help for the Author, 11-1

Bibliography listing, 4-6

Binding, 2-4, 5-3

Body of Report, 3-1

Callouts, 3-5
Sample, 9-7

Classification Markings, 8-1
Blank pages, 8-5
Contents, 8-4
Cover, 8-2
DD Form 1473, 8-4
Distribution list, 8-7
Figures, tables, 8-6
Footnotes, 8-6
Headings, 8-5
Paragraphs, 8-6
References, 8-7
Unclassified material, 8-8

Color, use of, 5-2

Conclusions/Concluding Remarks, 3-8

Contents page, 2-5
Sample, 9-3

Copyrights and Trademarks, 6-1
Use of copyrighted material, 6-1
Assistance in obtaining permission to use
copyrighted material, 6-2
Trademarks, 6-2

Covers, 2-1
Sample, 9-1

DD-Form 1473 (see Report Documentation
Page)

Distribution list, 4-7, 8-7
Sample, 9-8

Distribution Statements, 8-3

Equations, referring to in text, 3-8 (see
Mathematical Expressions)

Executive Order 12356, 8-1

Executive Summary, 3-1

Figures, listing of, 2-6, 9-4
General, 3-5
Numbering, 3-5
Page location, 3-5
Referring to in text, 3-6
Sample, 9-5
Titling, 3-5

Foldouts, 3-6, 5-3

Footnotes, 3-4
Classification markings, 8-6
To tables, 3-8

Foreword, 2-5

Formal Reports, 1-4, 5-1

Front Elements, 2-1

Glossary, 4-6

Greek alphabet, 7-0

Headings, 3-3

Classification markings, 3-4, 8-5

Help for the Author, 11-1

Illustrations, listing of, 2-6 (see Figures)

Indentation, 5-2

Introduction, preparing, 3-2

Main Text, preparing, 3-3

Mathematical Expressions, 7-1

Examples of, 7-1 — 7-7

Letter used as term, 7-6

Numbering, 7-1

Mathematical symbols, 7-0

Memorandum Reports, 1-5, 5-1

NATO information, 8-2

NRL Publications, 1-4

Instruction Books, 1-5

Memorandum Reports, 1-5

NRL Reports, 1-4

Pagination, 5-2

Photographs, 3-6, 5-1

Preface, 2-6

Printing, reproduction, 5-3

Publication Responsibility, 1-5

Publication Services, 1-2

Recommendations, 3-8

References, 3-4, 4-1

Classification markings, 4-1

Examples, 4-2 — 4-5

Referring to in text, 3-4

Report Documentation Page, 2-4, 10-1

Sample, 10-5

Reproducible or camera-ready copy, 5-1

Review and Release Process, 10-1

Checklist for, 10-0

Release for publication, 10-2, 10-7

Publication approval form, 10-2, 10-4

Sample routing package, NRL reports, 10-3 — 10-5

Sample routing package, presentation/ publication release, 10-6 — 10-7

Royalties, payment of, 6-2

Samples, 9-1

1 — Report covers, 9-1

2 — Page layout using typing guides, 9-2

3 — Contents page, 9-3

4 — Listing of Figures, Tables, 9-4

5 — Figures, 9-5

6 — Tables, 9-6

7 — Methods of displaying callouts, 9-7

8 — Appendix (Unclassified in Classified publication), 9-7

9 — Distribution list, 9-8

Simpler Words and Phrases, 12-12

Spacing and Indentions, 5-2

Subscripts and superscripts, 7-1

Tables, listing of, 2-6, 9-4

Footnotes to, 3-8

General, 3-6

Numbering, 3-7

Referring to in text, 3-7

Sample, 9-6

Technical Specifications, 5-1

Text image area, 5-1

TID Organization, 1-2

Computerized Technical Composition Section, 1-4

Editorial Section, 1-3

Graphics Services Section, 1-3

Printing and Reproduction Section, 1-4

Trademarks, 6-2

Type, 5-1

NOTES

NOTES

PROOFREADERS' MARKS

Marks	Explanation
o	Insert period at point indicated by caret.
^	Insert comma at point indicated by caret.
:	Insert colon at point indicated by caret.
;	Insert semicolon at point indicated by caret.
/=	Insert hyphen at point indicated by caret.
/-	Insert 1-em dash at point indicated by caret.
?	Insert question mark at point indicated by caret.
!	Insert exclamation mark at point indicated by caret.
'	Insert apostrophe at point indicated by caret.
"	Enclose in quotation marks as indicated by carets.
rom	Reset encircled matter in roman (regular) type.
lc	Reset crossed-out letter or encircled matter in lower-case type.
ital	Reset underscored matter in <i>italic</i> type.
on caps	Reset <u>double-underscored</u> matter in SMALL CAPITALS.
caps	Reset <u>triple-underscored</u> matter in CAPITALS.
bf	Reset matter thus <u>underscored</u> in boldfaced type.
del	Delete letter, letters, or words which are crossed out.
^	Insert the marginal addition at point indicated by caret.
#	Insert space where indicated by caret.
o	Delete space. Draw the word together.
o	Turn inverted letter which is encircled.
x	Broken letter. Encircled letter must be replaced.
wf	Wrong font.
tr	Transpose letters or words as indicated.
let	Let it stand as it is. Disregard all marks above the dots.
eq #	Equalize spacing where indicated by carets.
[Move left to point indicated.
]	Move right to point indicated.
l	Lower to point indicated.
^	Raise to point indicated.
CE	Center
i	Push down space which is showing up
ep	Spell out all encircled words.
¶	Start a new paragraph at point indicated by caret.
no ¶	Should not be a separate paragraph. Run in.
□	Indent 1 em
=	Out of alignment. Straighten.
Set from copy	Set from copy the words which were left out and insert as indicated
①	Query to author (Encircled in red.)

COPYEDITING SYMBOLS AND TERMS

The Symbol or Term	How Used	Its Meaning
"Deadlines"		Note the quotation marks
John Smith		Set in small capitals
city editor		Set hold face
reporter		Set in italics
John, James		Note comma
the end, the end x		Note period
more (or) ↓		Story is not completed
Ⓢ (or) Ⓢ		Story is completed
no ¶	no ¶ The city room	Do not paragraph
¶ L ¶	¶ The [The] The	Paragraph
—	The room city	Transpose words
~	city desk	Transpose characters
del	book # not	Restore the text
~	Stoker	Join separated matter
—	street	
≡	Note here here	Delete matter crossed out
■	L	Make it a capital letter
/	X	Make it a small letter
o	Re:porter	Close up
	city desk	Separate
^	the beat	Insert letter or word
o	ave.	Spell out
o	avenue	Abbreviate
o	nine	Make it a digit
o	9	Spell it out
]	The city room is in the rear of the building. he learned.	Indent on both margins

END

FILMED

10-84

DTIC